



โรงพยาบาลจุฬารัตน์
CHULABHORN HOSPITAL

วารสารสถิติทะเบียนมะเร็ง โรงพยาบาลจุฬารัตน์ ปี พ.ศ. 2566

CHULABHORN HOSPITAL BASED CANCER REGISTRY 2023



www.chulabhornhospital.com

รายชื่อผู้จัดทำ

ที่ปรึกษา

รองศาสตราจารย์ นายแพทย์สุรศักดิ์ ลีลาอุดมลิปิ
ผู้อำนวยการโรงพยาบาลจุฬาภรณ์

บรรณาธิการ

แพทย์หญิงจอมธนา ศิริไพบุลย์

ผู้อำนวยการศูนย์มะเร็งวิทยา

ผู้ช่วยศาสตราจารย์แพทย์หญิงนันทกานต์ อภิวัธน์มรก

ที่ปรึกษาคณะกรรมการ Tumor Board

แพทย์หญิงกัญญานีย์ แลบัว

ประธานคณะกรรมการทะเบียนมะเร็ง

นางพรพิมล เลิศพานิช

หัวหน้าพยาบาลศูนย์มะเร็งวิทยา

คณะทำงาน

นางสาวกชพร เอี่ยมสกุล

พยาบาลวิชาชีพ

นางสาวกัลยากร ไถ่ฮวด

พยาบาลวิชาชีพ

นางสาววิภาวี อินนุช

เจ้าหน้าที่ทะเบียนมะเร็ง

นางสาวรัตเกล้า งามเหลือ

เจ้าหน้าที่ทะเบียนมะเร็ง

นายพนพล หลัวน้อย

เจ้าหน้าที่บริหารงานทั่วไป

นางสาวจรรุวรรณ สุขเจริญ


เจ้าหน้าที่บริหารงานทั่วไป

ทีมแพทย์โรงพยาบาลจุฬาภรณ์

คำปรารภ

หนึ่งในภารกิจหลักและเป้าหมายสำคัญ
ของโรงพยาบาลจุฬาภรณ์เพื่อสนองพระปณิธาน
ขององค์ประธานราชวิทยาลัยจุฬาภรณ์ ได้แก่
การพัฒนาการดูแลผู้ป่วยโรคมะเร็งอย่างครบวงจร
เพิ่มการเข้าถึงเทคโนโลยีและการรักษาขั้นสูง
พัฒนาระบบการดูแล พัฒนาศักยภาพบุคลากร
ทางการแพทย์ พร้อมผลิตงานวิจัย เพื่อสร้างสรรค์
องค์ความรู้ใหม่และความก้าวหน้าด้านโรคมะเร็ง
วารสารสถิติทะเบียนมะเร็งปี พ.ศ. 2566 ฉบับนี้
ได้รวบรวมข้อมูลผู้ป่วยมะเร็งรายใหม่ของ
โรงพยาบาลจุฬาภรณ์ในมิติต่างๆ อาทิเช่น
ชนิดโรค รหัสโรค วิธีวินิจฉัย ระยะของโรค วิธีการ
รักษา เป็นต้น เพื่อเป็นแหล่งฐานข้อมูลสำหรับการ
มะเร็ง ทั้งด้านวิจัย ด้านการรักษา และการพัฒนา
ความรู้ใหม่

ขอขอบคุณคณะผู้จัดทำ ที่ได้จัดทำวารสาร
สถิติทะเบียนมะเร็งอย่างต่อเนื่องทุกปีรวมทั้งฉบับ
ปี พ.ศ. 2566 และหวังเป็นอย่างยิ่งว่า วารสารนี้
จะเป็นประโยชน์แก่แพทย์ พยาบาล บุคลากรทาง
การแพทย์ และผู้ที่สนใจทั่วไป อันจะเป็นประโยชน์
สูงสุดแก่ผู้ป่วยมะเร็งของประเทศต่อไป



รองศาสตราจารย์ นายแพทย์สุรศักดิ์ สีลาอุตมลิปิ
ผู้อำนวยการโรงพยาบาลจุฬาภรณ์

คำนำ

โรงพยาบาลจุฬาภรณ์ เป็นโรงพยาบาลที่มีความเชี่ยวชาญด้านมะเร็ง ให้บริการ คัดกรอง ตรวจวินิจฉัย และการรักษาผู้ป่วยโรคมะเร็งโดยใช้เครื่องมือเทคโนโลยีทางการแพทย์ที่ทันสมัย ด้วยจิตเมตตาตามพระปณิธานขององค์ประธาน ราชวิทยาลัยจุฬาภรณ์ นอกจากนี้ภารกิจหนึ่งที่สำคัญของโรงพยาบาลยังมีด้านสารสนเทศของโรคมะเร็ง คือ การจัดทำวารสารทะเบียนมะเร็งระดับโรงพยาบาล (Hospital base cancer registry) โดยฉบับนี้เป็นข้อมูลของผู้ป่วยโรคมะเร็งประจำปี พ.ศ. 2566 ซึ่งรวบรวมข้อมูลผู้ป่วยที่ได้รับการวินิจฉัยโรคมะเร็งรายใหม่ที่เข้ารับการรักษาในโรงพยาบาลจุฬาภรณ์ เพื่อทราบจำนวนผู้ป่วยโรคมะเร็งแต่ละปี วิถีวินิจฉัย ชนิดของมะเร็งที่พบบ่อย ระยะของโรคมะเร็ง วิธีการรักษา รวมถึงสถานะของผู้ป่วยโรงพยาบาลจุฬาภรณ์ในปัจจุบัน โดยผ่านการตรวจสอบจากแพทย์ผู้เชี่ยวชาญ และสรุปเป็นรายงานสถิติ เพื่อพิมพ์เผยแพร่และนำไปใช้ประโยชน์แก่ผู้ที่เกี่ยวข้องต่อไป

คณะผู้จัดทำจึงหวังเป็นอย่างยิ่งว่า วารสารสถิติทะเบียนมะเร็งฉบับนี้ จะเป็นประโยชน์ต่อบุคลากรและหน่วยงานที่เกี่ยวข้อง เพื่อนำไปใช้ประโยชน์ในด้านการรักษา ด้านวิชาการ การศึกษา วิจัย การพัฒนาระบบการควบคุมและป้องกันรักษาโรคมะเร็ง ที่มีประสิทธิภาพและเกิดประโยชน์สูงสุดแก่ผู้ป่วยโรคมะเร็งของประเทศไทยต่อไปในอนาคต



แพทย์หญิงจอมรนา ศิริไพบูลย์

ผู้อำนวยการศูนย์มะเร็งวิทยา

โรงพยาบาลจุฬาภรณ์



ขั้นตอนการทำทะเบียนมะเร็งระดับโรงพยาบาล โรงพยาบาลจุฬาภรณ์

8

ตารางและกราฟแสดงจำนวนโรคมะเร็งที่พบบ่อย 10 อันดับแรก

9

ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามวิธีการวินิจฉัยโรค

10

ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามการแพร่กระจาย

11

ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามระยะของโรค

12

ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามช่วงอายุ (ปี)

13

ตารางแสดงประเภทของโรคมะเร็งในเพศชาย แยกตามช่วงอายุ (ปี)

14

ตารางแสดงประเภทของโรคมะเร็งในเพศหญิง แยกตามช่วงอายุ (ปี)

16

ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง แยกตามชนิดของโรค

18

ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง แยกตามผลพยาธิวิทยา

24

ตารางและกราฟแสดงวิธีการรักษาโรคมะเร็ง

43

ตารางและกราฟแสดงจำนวนผู้ป่วยที่เข้ามารับการรักษาในโรงพยาบาลจุฬาภรณ์ จำแนกตามสิทธิการรักษา 45

ตารางและแผนที่แสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในประเทศไทย

46

ตารางและแผนที่แสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในจังหวัดที่อยู่ภาคเหนือของประเทศไทย

49

ตารางและแผนที่แสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในจังหวัดที่อยู่ภาคกลางของประเทศไทย

51

ตารางและแผนที่แสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในจังหวัดที่อยู่ภาคใต้ของประเทศไทย

53

ตารางและแผนที่แสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในจังหวัดที่อยู่ภาคตะวันออกเฉียงเหนือของประเทศไทย 55

ข้อมูลมะเร็งที่พบบ่อยในโรงพยาบาลจุฬาภรณ์

57

โรคมะเร็งเต้านม

58

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม

59

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามวิธีการวินิจฉัย

60

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามการแพร่กระจาย

61

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามช่วงอายุ (ปี)

62

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามระยะของโรค

63

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามวิธีการรักษา

64

โรคมะเร็งลำไส้ใหญ่และทวารหนัก

67

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก

68

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามวิธีวินิจฉัย

69

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามการแพร่กระจาย

70

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามช่วงอายุ (ปี)

71

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามระยะของโรค

72

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามวิธีการรักษา

73

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่ แยกตามวิธีการรักษา

75

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ส่วน Rectum แยกตามวิธีการรักษา

77

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ส่วน Rectosigmoid แยกตามวิธีการรักษา

78

โรคมะเร็งปอด

78

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดแยกตามชนิดของเซลล์ 80

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิด Non Small Cell แยกตามวิธีวินิจฉัย 81

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิด Small Cell แยกตามวิธีวินิจฉัย 82

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิดอื่นๆ แยกตามวิธีวินิจฉัย 83

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามการแพร่กระจาย 84

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามช่วงอายุ (ปี) 85

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามระยะของโรค 86

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามวิธีการรักษา 87

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิด Non Small Cell แยกตามวิธีการรักษา 89

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิด Small Cell แยกตามวิธีการรักษา 91

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิดอื่นๆ แยกตามวิธีการรักษา 92

โรคมะเร็งตับและท่อน้ำดี

93

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี 94

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามวิธีวินิจฉัย 95

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามการแพร่กระจาย 96


ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามช่วงอายุ (ปี) 97

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามระยะของโรค 98

ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามวิธีการรักษา 99


ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับ แยกตามวิธีการรักษา	101
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งท่อน้ำดี แยกตามวิธีการรักษา	103
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งท่อน้ำดีนอกตับแยกตามวิธีการรักษา	105
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งส่วนอื่นๆ ของท่อน้ำดี แยกตามวิธีการรักษา	106
โรคมะเร็งไทรอยด์	107
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์	108
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามวิธีวินิจฉัย	109
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามการแพร่กระจาย	110
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามช่วงอายุ (ปี)	111
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามระยะของโรค	112
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามวิธีการรักษา	113
โรคมะเร็งต่อมลูกหมาก	115
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก	116
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก แยกตามวิธีวินิจฉัย	117
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก แยกตามการแพร่กระจาย	118
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก แยกตามช่วงอายุ (ปี)	119
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก แยกตามระยะของโรค	120
ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก แยกตามวิธีการรักษา	121

ขั้นตอนการทำทะเบียนมะเร็งระดับโรงพยาบาล โรงพยาบาลจุฬาภรณ์ (Hospital - Based Cancer Registry)




ตารางและกราฟแสดงจำนวนโรคมะเร็งที่พบบ่อย 10 อันดับแรก (The Most Common Cancer)

รหัสโรค	ชนิดมะเร็ง	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
C50	มะเร็งเต้านม (Breast)	3	0.28	458	31.16	461	18.23
C18-C20	มะเร็งลำไส้ใหญ่และทวารหนัก (Colon and Rectum)	202	19.07	152	10.34	354	14.00
C34	มะเร็งปอด (Bronchus and Lung)	148	13.98	130	8.84	278	10.99
C22,C24	มะเร็งตับและท่อน้ำดี (Liver and Bile duct)	190	17.94	83	5.65	273	10.79
C73	มะเร็งไทรอยด์ (Thyroid)	38	3.59	144	9.80	182	7.20
C61	มะเร็งต่อมลูกหมาก (Prostate)	164	15.49	0	0.00	164	6.48
C53	มะเร็งปากมดลูก (Cervix uteri)	0	0.00	87	5.92	87	3.44
C54	มะเร็งโพรงมดลูก (Corpus uteri)	0	0.00	76	5.17	76	3.01
C25	มะเร็งตับอ่อน (Pancreas)	30	2.83	34	2.31	64	2.53
C56	มะเร็งรังไข่ (Ovary)	0	0.00	51	3.47	51	2.02
C16	มะเร็งกระเพาะอาหาร (Stomach)	16	1.51	33	2.24	49	1.94
C77	มะเร็งต่อมน้ำเหลือง (Lymph node)	23	2.17	25	1.70	48	1.90
	อื่นๆ	245	23.14	197	13.40	442	17.48
รวม		1,059	100.00	1,470	100.00	2,529	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามวิธีวินิจฉัยโรค (Type of Diagnosis of Cancer Site of All Cancer)

วิธีการวินิจฉัยโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ซักประวัติและตรวจร่างกาย	11	1.04	11	0.75	22	0.87
รังสีวินิจฉัย ส่องกล้อง Ultrasound	173	16.34	105	7.14	278	10.99
ตรวจทางเซลล์หรือการตรวจเลือด	40	3.78	55	3.74	95	3.76
ตรวจชิ้นเนื้อออกที่แพร่กระจาย	66	6.23	125	8.50	191	7.55
ตรวจเนื้ออกปฐุมภูมิ	769	72.62	1,174	79.86	1,943	76.83
รวม	1,059	100.00	1,470	100.00	2,529	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามการแพร่กระจาย (Extension of Cancer site of All Cancer)

การแพร่กระจาย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
In situ	5	0.47	26	1.77	31	1.23
Localized	104	9.82	317	21.56	421	16.65
Direct extension	106	10.01	124	8.44	230	9.09
Regional lymph nodes	140	13.22	276	18.78	416	16.45
Distant metastasis	352	33.24	405	27.55	757	29.93
Not applicable	46	4.34	53	3.61	99	3.91
Not known	306	28.90	269	18.30	575	22.74
รวม	1,059	100.00	1,470	100.00	2,529	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามระยะของโรค (Type of Stage of Cancer site of All Cancer)

ระยะของโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Stage 0	5	0.47	26	1.77	31	1.23
Stage I	67	6.33	262	17.82	329	13.01
Stage II	106	10.01	272	18.50	378	14.95
Stage III	164	15.49	212	14.42	376	14.86
Stage IV	417	39.38	443	30.14	860	34.01
Unknown	300	28.33	255	17.35	555	21.95
รวม	1,059	100.00	1,470	100.00	2,529	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วย แยกตามช่วงอายุ (ปี) (Number by Age-group and Sex of All Cancer)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
10-14	0	0.00	1	0.07	1	0.04
15-19	5	0.47	4	0.27	9	0.36
20-24	7	0.66	13	0.88	20	0.79
25-29	3	0.28	16	1.09	19	0.75
30-34	16	1.51	42	2.86	58	2.29
35-39	16	1.51	69	4.69	85	3.36
40-44	33	3.12	93	6.33	126	4.98
45-49	47	4.44	128	8.71	175	6.92
50-54	83	7.84	158	10.75	241	9.53
55-59	123	11.61	189	12.86	312	12.34
60-64	174	16.43	212	14.42	386	15.26
65-69	185	17.47	210	14.29	395	15.62
70-74	163	15.39	135	9.18	298	11.78
75-79	103	9.73	102	6.94	205	8.11
80-84	58	5.48	52	3.54	110	4.35
85-89	33	3.12	33	2.24	66	2.61
90+	10	0.94	13	0.88	23	0.91
รวม	1,059	100.00	1,470	100.00	2,529	100.00



[illegible]

ตารางแสดงประเภทของโรคมะเร็งในเพศชาย แยกตามช่วงอายุ (ปี)
(Number of Case by Age-group in Male)

ICD-0	ประเภทโรค	รวม	0+	5+	10+	15+	20+	25+	30+	35+	40+	45+	50+	55+	60+	65+	70+	75+	80+	85+	90+
C48	Retroperitoneum and peritoneum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C49	Connective, subcutaneous and other soft tissues	8	0	0	0	1	0	0	0	0	0	0	1	1	2	0	1	1	1	0	0
C50	Breast	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0
C60	Penis	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
C61	Prostate gland	164	0	0	0	0	0	0	0	0	0	2	5	8	27	28	32	31	19	9	3
C62	Testis	8	0	0	0	1	1	0	2	0	2	0	0	0	0	1	1	0	0	0	0
C64	Kidney	11	0	0	0	0	0	0	0	0	0	2	2	2	1	1	0	3	0	0	0
C65	Renal pelvis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C67	Bladder	27	0	0	0	0	0	0	0	0	0	1	2	1	2	6	9	2	2	2	0
C68	Other and unspecified urinary organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C69	Eye and adnexa	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C70-C72	Meninges, brain, spinal cord, cranial nerves, and other parts of central nervous system	7	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2	2	0	0	1
C73	Thyroid gland	38	0	0	0	0	1	2	6	3	5	3	3	2	7	0	2	3	1	0	0
C74	Adrenal gland	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
C75	Other endocrine glands and related structures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C76	Other and ill-defined sites	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
C77	Lymph Nodes	22	0	0	0	3	0	0	0	0	0	2	3	5	5	1	2	0	1	0	0
C80	Unknown primary site	9	0	0	0	0	0	0	0	0	0	1	1	2	0	0	4	0	1	0	0
Total		1,059	0	0	0	5	7	3	16	16	33	47	83	123	174	185	163	103	58	33	10

ตารางแสดงประเภทของโรคมะเร็งในเพศหญิง แยกตามช่วงอายุ (ปี)
(Number of Case by Age-group in Female)

ICD-0	ประเภทโรค	รวม	0+	5+	10+	15+	20+	25+	30+	35+	40+	45+	50+	55+	60+	65+	70+	75+	80+	85+	90+
C00	Lip	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
C01-C02	Tongue	5	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0	0
C03-C06	Mouth	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	0	0
C07-C08	Salivary gland	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0
C09	Tonsil	6	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	2	0	0	1
C10	Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C11	Nasopharynx	11	0	0	0	0	2	0	0	1	0	1	1	3	1	0	1	0	1	0	0
C12	Pyiform sinus	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
C14	Pharynx	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
C15	Esophagus	7	0	0	0	0	0	0	1	0	0	0	2	0	0	1	0	1	1	1	0
C16	Stomach	33	0	0	0	0	0	0	1	1	2	1	0	4	7	6	4	2	3	1	1
C17	Small intestine	4	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	1	0	0
C18-C20	Colon and Rectum	152	0	0	0	0	1	1	1	1	9	9	7	19	29	29	13	19	3	8	3
C21	Anus and anal canal	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
C22,C24	Liver and intrahepatic bile ducts	83	0	0	0	0	0	0	0	0	2	2	5	13	16	12	16	8	5	4	0
C23	Gallbladder	4	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	0
C25	Pancreas	34	0	0	0	0	0	0	1	0	0	1	2	6	2	9	7	3	0	1	2
C26	Intestinal tract	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
C30-C31	Nasal cavity, middle ear and accessory sinuses	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
C32	Larynx	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
C34	Bronchus and lung	130	0	0	0	0	0	0	1	1	3	8	8	14	22	30	12	18	8	4	1
C37-C38	Thymus, Heart, Mediastinum, and Pleura	3	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0
C40	Bone, joint and articular cartilage of limbs	2	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0
C41	Bone, joint and articular cartilage of other sites	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
C42	Hematopoietic and reticuloendothelial systems	22	0	0	0	0	0	0	0	0	1	3	2	3	1	2	3	3	3	1	0
C44	Skin	26	0	0	0	0	0	0	1	2	1	1	3	2	1	1	3	4	3	2	2

ตารางแสดงประเภทของโรคมะเร็งในเพศหญิง แยกตามช่วงอายุ (ปี)
(Number of Case by Age-group in Female)

ICD-0	ประเภทโรค	รวม	0+	5+	10+	15+	20+	25+	30+	35+	40+	45+	50+	55+	60+	65+	70+	75+	80+	85+	90+
C47	Peripheral nerves and autonomic nervous system	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
C48	Retroperitoneum and peritoneum	11	0	0	0	0	0	0	0	1	0	0	1	1	2	4	0	2	0	0	0
C49	Connective, subcutaneous and other soft tissues	8	0	0	0	0	1	0	0	0	0	1	0	1	0	3	2	0	0	0	0
C50	Breast	458	0	0	0	0	1	1	10	21	41	60	68	61	70	64	33	16	10	2	0
C51	Vulva	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
C52	Vagina	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
C53	Cervix uteri	88	0	0	0	0	0	2	3	9	13	9	16	13	9	3	3	4	1	1	1
C54	Corpus uteri	76	0	0	0	0	0	1	2	5	1	3	8	11	10	14	12	7	2	0	0
C55	Uterus, NOS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
C56	Ovary	51	0	0	0	1	0	0	1	6	2	5	8	13	10	3	0	0	0	1	1
C57	Other and unspecified female genital organs	17	0	0	0	0	0	0	0	1	1	0	3	3	3	5	1	0	0	0	0
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C64	Kidney	9	0	0	0	0	0	0	0	0	0	1	1	0	2	2	1	0	1	1	0
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C66	Ureter	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
C67	Bladder	7	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	1	1	0	0
C68	Other and unspecified urinary organs	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
C69	Eye and adnexa	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C70-C72	Meninges, brain, spinal cord, cranial nerves, and other parts of central nervous system	8	0	0	0	0	0	0	1	0	1	0	0	0	1	3	1	0	0	0	0
C73	Thyroid gland	144	0	0	1	2	5	10	16	17	11	20	13	14	15	7	5	3	3	2	0
C74	Adrenal gland	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
C76	Other and ill-defined sites	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
C77	Lymph nodes	25	0	0	0	0	2	1	1	1	1	1	4	2	2	2	6	2	0	0	0
C80	Unknown primary site	15	0	0	0	0	0	0	0	1	2	0	1	2	3	1	1	1	0	3	0
Total		1,470	0	0	1	4	13	16	42	69	93	128	158	189	212	210	135	102	52	33	13

ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง แยกตามชนิดของโรค (Number of Cancer case by Primary Site)

SITE CODE	ICD-O	MALE	FEMALE	TOTAL
C00	LIP	0	1	1
	C004 Mucosa of lower lip	0	1	1
C01	BASE OF TONGUE	3	1	4
	C019 Base of tongue, NOS	3	1	4
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	9	4	13
	C021 Border of tongue	3	1	4
	C029 Tongue, NOS	6	3	9
C03	GUM	2	1	3
	C031 Lower gum	2	1	3
C04	FLOOR OF MOUTH	4	0	4
	C049 Floor of mouth, NOS	4	0	4
C05	PALATE	3	2	5
	C050 Hard palate	0	1	1
	C051 Soft palate, NOS	3	0	3
	C052 Uvula	0	1	1
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	2	3	5
	C060 Cheek mucosa	2	2	4
	C062 Retromolar area	0	1	1
C07	PAROTID GLAND	2	2	4
	C079 Parotid gland	2	2	4
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	1	1	2
	C080 Submandibular gland	1	0	1
	C089 Major salivary gland, NOS	0	1	1
C09	TONSIL	8	6	14
	C099 Tonsil, NOS	8	6	14
C10	OROPHARYNX	0	0	0
	C109 Oropharynx, NOS	0	0	0
C11	NASOPHARYNX	18	11	29
	C111 Posterior wall of nasopharynx	0	2	2
	C118 Overlapping lesion of nasopharynx	0	2	2
	C119 Nasopharynx, NOS	18	7	25
C12	PYRIFORM SINUS	4	1	5
	C129 Pyriform sinus	4	1	5
C13	HYPOPHARYNX	6	0	6
	C130 Postcricoid region	1	0	1
	C139 Hypopharynx, NOS	5	0	5

SITE CODE	ICD-O	MALE	FEMALE	TOTAL
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	1	1	2
	C140 Pharynx, NOS	1	1	2
C15	ESOPHAGUS	23	7	30
	C150 Cervical esophagus	1	4	5
	C151 Thoracic esophagus	5	1	6
	C154 Middle third of esophagus	1	0	1
	C155 Lower third of esophagus	3	1	4
	C158 Overlapping lesion of esophagus	1	0	1
	C159 Esophagus, NOS	12	1	13
C16	STOMACH	16	33	49
	C160 Cardia, NOS	3	0	3
	C161 Fundus of stomach	0	1	1
	C162 Body of stomach	5	7	12
	C163 Gastric antrum	1	3	4
	C166 Greater curvature of stomach, NOS	0	1	1
	C168 Overlapping lesion of stomach	1	1	2
	C169 Stomach, NOS	6	20	26
C17	SMALL INTESTINE	9	4	13
	C170 Duodenum	2	2	4
	C171 Jejunum	2	0	2
	C172 Ileum	1	1	2
	C179 Small intestine, NOS	4	1	5
C18	COLON	108	96	204
	C180 Cecum	5	7	12
	C181 Appendix	2	2	4
	C182 Ascending colon	9	11	20
	C183 Hepatic flexure of colon	6	7	13
	C184 Transverse colon	7	5	12
	C185 Splenic flexure of colon	6	2	8
	C186 Descending colon	16	5	21
	C187 Sigmoid colon	54	55	109
	C188 Overlapping lesion of colon	0	2	2
	C189 Colon, NOS	3	0	3
C19	RECTOSIGMOID JUNCTION	11	6	17
	C199 Rectosigmoid junction	11	6	17
C20	RECTUM	84	50	134
	C209 Rectum, NOS	84	50	134
C21	ANUS AND ANAL CANAL	2	2	4
	C210 Anus, NOS	1	0	1
	C211 Anal canal	1	2	3

SITE CODE	ICD-O	MALE	FEMALE	TOTAL
C22	LIVER AND INTRAHEPATIC BILE DUCTS	185	81	266
C220	Liver	145	45	190
C221	Intrahepatic bile duct	40	36	76
C23	GALLBLADDER	3	4	7
C239	Gallbladder	3	4	7
C24	OTHER AND UNSPECIFIED PART OF BILIARY TRACT	5	2	7
C240	Extrahepatic bile duct	2	1	3
C241	Ampulla of vater	3	1	4
C25	PANCREAS	30	34	64
C250	Head of pancreas	7	14	21
C251	Body of pancreas	5	6	11
C252	Tail of pancreas	6	4	10
C257	Other specified parts of pancreas	1	0	1
C258	Overlapping lesion of pancreas	5	2	7
C259	Pancreas, NOS	6	8	14
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	0	1	1
C269	Gastrointestinal tract, NOS	0	1	1
C30	NASAL CAVITY AND MIDDLE EAR	3	1	4
C300	Nasal cavity	3	1	4
C31	ACCESSORY SINUSES	4	0	4
C310	Maxillary sinus	4	0	4
C32	LARYNX	14	2	16
C320	Glottis	7	0	7
C321	Supraglottis	6	2	8
C329	Larynx, NOS	1	0	1
C34	BRONCHUS AND LUNG	148	130	278
C341	Upper lobe, lung	76	46	122
C342	Middle lobe, lung	5	10	15
C343	Lower lobe, lung	34	45	79
C348	Overlapping lesion of lung	4	1	5
C349	Lung, NOS	29	28	57
C37	THYMUS	4	1	5
C379	Thymus	4	1	5
C38	HEART, MEDIASTINUM, AND PLEURA	4	2	6
C380	Heart	1	0	1
C381	Anterior mediastinum	1	1	2
C383	Mediastinum, NOS	1	1	2
C384	Pleura, NOS	1	0	1

SITE CODE	ICD-O	MALE	FEMALE	TOTAL
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	0	2	2
C402	Long bones of lower limb and associated joints	0	2	2
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	1	2	3
C411	Mandible	1	0	1
C412	Vertebral column	0	1	1
C413	Rib, sternum, clavicle and associated joints	0	1	1
C42	HEMATOPOIETIC AND RETICULOENDOTHELIAL SYSTEMS	20	22	42
C420	Blood	0	1	1
C421	Bone marrow	19	21	40
C422	Spleen	1	0	1
C44	SKIN	20	26	46
C441	Eyelid	0	3	3
C442	External ear	5	1	6
C443	Skin of other and unspecified parts of face	5	7	12
C444	Skin of scalp and neck	1	2	3
C445	Skin of trunk	2	4	6
C446	Skin of upper limb and shoulder	3	5	8
C447	Skin of lower limb and hip	4	3	7
C449	Skin, NOS	0	1	1
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	0	1	1
C474	Peripheral nerves and autonomic nervous system of abdomen	0	1	1
C48	RETROPERITONEUM AND PERITONEUM	0	11	11
C480	Retroperitoneum	0	4	4
C481	Specified parts of peritoneum	0	2	2
C482	Peritoneum, NOS	0	5	5
C49	CONNECTIVE TISSUE, SUBCUTANEOUS AND OTHER SOFT TISSUES	8	8	16
C490	Soft tissues of head, face and neck	1	0	1
C491	Soft tissues of upper limb, shoulder	2	1	3
C492	Soft tissues of lower limb and hip	2	7	9
C495	Soft tissues of pelvis	2	0	2
C496	Soft tissues of trunk NOS	1	0	1
C50	BREAST	3	458	461
C500	Nipple	0	3	3
C501	Central portion of breast	0	22	22
C502	Upper-inner quadrant of breast	0	36	36
C503	Lower-inner quadrant of breast	0	19	19
C504	Upper-outer quadrant of breast	0	129	129
C505	Lower-outer quadrant of breast	0	33	33

SITE CODE	ICD-O	MALE	FEMALE	TOTAL
	C508 Overlapping lesion of breast	1	96	97
	C509 Breast, NOS	2	120	122
C51	VULVA	0	2	2
	C519 Vulva, NOS	0	2	2
C52	VAGINA	0	3	3
	C529 Vagina, NOS	0	3	3
C53	CERVIX UTERI	0	87	87
	C530 Endocervix	0	21	21
	C531 Exocervix	0	53	53
	C539 Cervix uteri	0	13	13
C54	CORPUS UTERI	0	76	76
	C541 Endometrium	0	68	68
	C549 Corpus uteri	0	8	8
C55	UTERUS, NOS	0	1	1
	C559 Uterus, NOS	0	1	1
C56	OVARY	0	51	51
	C569 Ovary	0	51	51
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	0	17	17
	C570 Fallopian tube	0	4	4
	C574 Uterine adnexa	0	1	1
	C578 Overlapping lesion of female genital organs	0	12	12
C58	PLACENTA	0	0	0
	C589 Placenta	0	0	0
C60	PENIS	1	0	1
	C609 Penis, NOS	1	0	1
C61	PROSTATE GLAND	164	0	164
	C619 Prostate gland	164	0	164
C62	TESTIS	8	0	8
	C629 Testis, NOS	8	0	8
C64	KIDNEY	11	9	20
	C649 Kidney, NOS	11	9	20
C65	RENAL PELVIS	1	0	1
	C659 Renal pelvis	1	0	1
C66	URETER	0	2	2
	C669 Ureter	0	2	2
C67	BLADDER	27	7	34
	C672 Lateral wall of bladder	0	1	1
	C673 Anterior wall of bladder	0	1	1
	C679 Bladder, NOS	27	5	32

SITE CODE	ICD-O	MALE	FEMALE	TOTAL
C68	OTHER AND UNSPECIFIED URINARY ORGANS	0	1	1
	C680 Urethra	0	1	1
C69	EYE AND ADNEXA	0	0	0
	C699 Eye, NOS	0	0	0
C70	MENINGES	0	0	0
	C709 Meninges, NOS	0	0	0
C71	BRAIN	7	6	13
	C710 Cerebrum	0	1	1
	C711 Frontal lobe	3	2	5
	C712 Temporal lobe	0	1	1
	C713 Parietal lobe	0	1	1
	C714 Occipital lobe	1	0	1
	C716 Cerebellum, NOS	1	0	1
	C718 Overlapping lesion of brain	1	1	2
	C719 Brain, NOS	1	0	1
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	0	1	1
	C729 Nervous system, NOS	0	1	1
C73	THYROID GLAND	38	144	182
	C739 Thyroid gland	38	144	182
C74	ADRENAL GLAND	1	1	2
	C741 Medulla of adrenal gland	1	0	1
	C749 Adrenal gland, NOS	0	1	1
C76	OTHER AND ILL-DEFINED SITES	2	2	4
	C760 Head, face or neck, NOS	1	1	2
	C762 Abdomen, NOS	0	1	1
	C763 Pelvis, NOS	1	0	1
C77	LYMPH NODES	22	25	47
	C770 Lymph nodes of head, face and neck	13	14	27
	C772 Intra-abdominal lymph nodes	2	3	5
	C773 Lymph nodes of axilla or arm	0	4	4
	C774 Lymph nodes, inguinal region or leg	5	3	8
	C775 Pelvic lymph nodes	1	0	1
	C778 Lymph nodes of multiple regions	0	1	1
	C779 Lymph node, NOS	1	0	1
C80	UNKNOWN PRIMARY SITE	9	15	24
	C809 Unknown primary site	9	15	24
รวม		1,059	1,470	2,529

ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง แยกตามผลพยาธิวิทยา (Pathology According to Site)

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C00	LIP					
	C004	External lower lip		0	1	1
	M 8070	Squamous cell carcinoma, NOS		0	1	1
C01	BASE OF TONGUE					
	C019	Base of tongue, NOS		3	1	4
	M 8070	Squamous cell carcinoma, NOS		2	0	2
	M 8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS		1	0	1
	M 9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE					
	C021	Border of tongue		3	1	4
	M 8070	Squamous cell carcinoma, NOS		3	0	3
	M 8071	Squamous cell carcinoma, keratinizing, NOS		0	1	1
	C029	Tongue, NOS		6	3	9
	M 8070	Squamous cell carcinoma, NOS		4	2	6
	M 8071	Squamous cell carcinoma, keratinizing, NOS		2	1	3
C03	GUM					
	C031	Lower gum		2	1	3
	M 8070	Squamous cell carcinoma, NOS		1	1	2
	M 8071	Squamous cell carcinoma, keratinizing, NOS		1	0	1
C04	FLOOR OF MOUTH					
	C049	Floor of mouth, NOS		4	0	4
	M 8000	Neoplasm, malignant		1	0	1
	M 8070	Squamous cell carcinoma, NOS		3	0	3
C05	PALATE					
	C050	Hard palate		0	1	1
	M 8070	Squamous cell carcinoma, NOS		0	1	1
	C051	Soft palate, NOS		3	0	3
	M 8070	Squamous cell carcinoma, NOS		2	0	2
	M 9680	Malignant lymphoma, large B-cell, diffuse, NOS		1	0	1
	C052	Uvula		0	1	1
	M 8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS		0	1	1
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH					
	C060	Cheek mucosa		2	2	4
	M 8070	Squamous cell carcinoma, NOS		0	2	2
	M 8071	Squamous cell carcinoma, keratinizing, NOS		1	0	1
	M 8480	Mucinous adenocarcinoma		1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C062			Retromolar area	0	1	1
M	8070		Squamous cell carcinoma, NOS	0	1	1
C07			PAROTID GLAND			
C079			Parotid gland	2	2	4
M	8430		Mucoepidermoid carcinoma	1	2	3
M	9699		Marginal zone B-cell lymphoma, NOS	1	0	1
C08			OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS			
C080			Submandibular gland	1	0	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	1	0	1
C089			Major salivary gland, NOS	0	1	1
M	8000		Neoplasm, malignant	0	1	1
C09			TONSIL			
C099			Tonsil, NOS	8	6	14
M	8052		Papillary squamous cell carcinoma	1	0	1
M	8070		Squamous cell carcinoma, NOS	4	2	6
M	8072		Squamous cell carcinoma, large cell, nonkeratinizing, NOS	0	1	1
M	9673		Mantle cell lymphoma	1	0	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	2	3	5
C10			OROPHARYNX			
C109			Oropharynx, NOS	0	0	0
M	8070		Squamous cell carcinoma, NOS	0	0	0
C11			NASOPHARYNX			
C111			Posterior wall of nasopharynx	0	2	2
M	8072		Squamous cell carcinoma, large cell, nonkeratinizing, NOS	0	2	2
C118			Overlapping lesion of nasopharynx	0	2	2
M	8072		Squamous cell carcinoma, large cell, nonkeratinizing, NOS	0	2	2
C119			Nasopharynx, NOS	18	7	25
M	8000		Neoplasm, malignant	1	0	1
M	8010		Carcinoma, NOS	2	0	2
M	8072		Squamous cell carcinoma, large cell, nonkeratinizing, NOS	13	5	18
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	2	2	4
C12			PYRIFORM SINUS			
C129			Pyriform sinus	4	1	5
M	8070		Squamous cell carcinoma, NOS	4	1	5
C13			HYPOPHARYNX			
C130			Postcricoid region	1	0	1
M	8070		Squamous cell carcinoma, NOS	1	0	1
C139			Hypopharynx, NOS	5	0	5
M	8070		Squamous cell carcinoma, NOS	4	0	4
M	8071		Squamous cell carcinoma, keratinizing, NOS	1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C14 OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX						
C140		Pharynx, NOS		1	1	2
M	8070	Squamous cell carcinoma, NOS		1	0	1
M	9702	Mature T-cell lymphoma, NOS		0	1	1
C15 ESOPHAGUS						
C150		Cervical esophagus		1	4	5
M	8070	Squamous cell carcinoma, NOS		1	4	5
C151		Thoracic esophagus		5	1	6
M	8000	Neoplasm, malignant		1	0	1
M	8070	Squamous cell carcinoma, NOS		3	1	4
M	8140	Adenocarcinoma, NOS		1	0	1
C154		Middle third of esophagus		1	0	1
M	8010	Carcinoma, NOS		1	0	1
C155		Lower third of esophagus		3	1	4
M	8010	Carcinoma, NOS		1	0	1
M	8140	Adenocarcinoma, NOS		0	1	1
M	8480	Mucinous adenocarcinoma		1	0	1
M	8490	Signet ring cell carcinoma		1	0	1
C158		Overlapping lesion of esophagus		1	0	1
M	8070	Squamous cell carcinoma, NOS		1	0	1
C159		Esophagus, NOS		12	1	13
M	8000	Neoplasm, malignant		1	0	1
M	8070	Squamous cell carcinoma, NOS		8	0	8
M	8140	Adenocarcinoma, NOS		2	0	2
M	8144	Adenocarcinoma, intestinal-type		1	1	2
C16 STOMACH						
C160		Cardia, NOS		3	0	3
M	8140	Adenocarcinoma, NOS		2	0	2
M	8144	Adenocarcinoma, intestinal-type		1	0	1
C161		Fundus of stomach		0	1	1
M	8144	Adenocarcinoma, intestinal-type		0	1	1
C162		Boby of stomach		5	7	12
M	8140	Adenocarcinoma, NOS		3	3	6
M	8490	Signet ring cell carcinoma		1	2	3
M	8936	Gastrointestinal stromal sarcoma		1	1	2
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
C163		Gastric antrum		1	3	4
M	8140	Adenocarcinoma, NOS		0	2	2
M	8490	Signet ring cell carcinoma		1	1	2

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C166			Greater curvature of stomach, NOS	0	1	1
M	8936		Gastrointestinal stromal sarcoma	0	1	1
C168			Overlapping lesion of stomach	1	1	2
M	8140		Adenocarcinoma, NOS	0	1	1
M	8480		Mucinous adenocarcinoma	1	0	1
C169			Stomach, NOS	6	20	26
M	8140		Adenocarcinoma, NOS	2	5	7
M	8211		Tubular adenocarcinoma	1	0	1
M	8255		Adenocarcinoma with mixed subtypes	0	1	1
M	8490		Signet ring cell carcinoma	0	6	6
M	8936		Gastrointestinal stromal sarcoma	1	6	7
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	2	2	4
C17			SMALL INTESTINE			
C170			Duodenum	2	2	4
M	8140		Adenocarcinoma, NOS	1	2	3
M	8936		Gastrointestinal stromal sarcoma	1	0	1
C171			Jejunum	2	0	2
M	8936		Gastrointestinal stromal sarcoma	2	0	2
C172			Ileum	1	1	2
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	1	0	1
M	9699		Marginal zone B-cell lymphoma, NOS	0	1	1
C179			Small intestine, NOS	4	1	5
M	8936		Gastrointestinal stromal sarcoma	3	0	3
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	0	1	1
M	9717		Intestinal T-cell lymphoma	1	0	1
C18			COLON			
C180			Cecum	5	7	12
M	8140		Adenocarcinoma, NOS	5	6	11
M	8490		Signet ring cell carcinoma	0	1	1
C181			Appendix	2	2	4
M	8140		Adenocarcinoma, NOS	0	1	1
M	8240		Neuroendocrine carcinoma, well-differentiated	0	1	1
M	8243		Goblet cell carcinoid	1	0	1
M	8480		Mucinous adenocarcinoma	1	0	1
C182			Ascending colon	9	11	20
M	8000		Neoplasm, malignant	0	1	1
M	8140		Adenocarcinoma, NOS	7	9	16
M	8480		Mucinous adenocarcinoma	1	1	2
M	9699		Marginal zone B-cell lymphoma, NOS	1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C183			Hepatic flexure of colon	6	7	13
M	8140	Adenocarcinoma, NOS		5	3	8
M	8480	Mucinous adenocarcinoma		1	4	5
C184			Transverse colon	7	5	12
M	8000	Neoplasm, malignant		1	0	1
M	8140	Adenocarcinoma, NOS		5	4	9
M	8480	Mucinous adenocarcinoma		0	1	1
M	8490	Signet ring cell carcinoma		1	0	1
C185			Splenic flexure of colon	6	2	8
M	8140	Adenocarcinoma, NOS		6	2	8
C186			Descending colon	16	5	21
M	8140	Adenocarcinoma, NOS		15	4	19
M	8480	Mucinous adenocarcinoma		1	1	2
C187			Sigmoid colon	54	55	109
M	8000	Neoplasm, malignant		0	1	1
M	8010	Carcinoma, NOS		0	1	1
M	8140	Adenocarcinoma, NOS		52	48	100
M	8480	Mucinous adenocarcinoma		1	5	6
M	8490	Signet ring cell carcinoma		1	0	1
C188			Overlapping lesion of colon	0	2	2
M	8000	Neoplasm, malignant		0	1	1
M	8140	Adenocarcinoma, NOS		0	1	1
C189			Colon, NOS	3	0	3
M	8010	Carcinoma, NOS		1	0	1
M	8140	Adenocarcinoma, NOS		1	0	1
M	9673	Mantle cell lymphoma		1	0	1
C19			RECTOSIGMOID JUNCTION			
C199			Rectosigmoid junction	11	6	17
M	8140	Adenocarcinoma, NOS		10	6	16
M	8263	Adenocarcinoma in tubulovillous adenoma		1	0	1
C20			RECTUM			
C209			Rectum, NOS	83	51	134
M	8000	Neoplasm, malignant		0	2	2
M	8140	Adenocarcinoma, NOS		80	41	121
M	8240	Neuroendocrine carcinoma, well-differentiated		1	0	1
M	8246	Neuroendocrine carcinoma, NOS		1	0	1
M	8249	Atypical carcinoid tumor		0	1	1
M	8480	Mucinous adenocarcinoma		1	5	6
M	8490	Signet ring cell carcinoma		0	1	1
M	8720	Malignant melanoma, NOS		0	1	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C21 ANUS AND ANAL CANAL						
C210	Anus, NOS			1	0	1
M	8140	Adenocarcinoma, NOS		1	0	1
C211	Anal canal			1	2	3
M	8070	Squamous cell carcinoma, NOS		1	2	3
C22 LIVER AND BILE DUCT						
C220	Liver			145	45	190
M	8000	Neoplasm, malignant		3	1	4
M	8170	Hepatocellular carcinoma, NOS		136	39	175
M	8172	Hepatocellular carcinoma, scirrhous		1	0	1
M	8180	Combined hepatocellular carcinoma/cholangiocarcinoma		5	2	7
M	8503	Intraductal papillary adenocarcinoma with invasion		0	1	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
M	9719	NK/T-cell lymphoma, nasal and nasal-type		0	1	1
C221	Intrahepatic bile duct			40	36	76
M	8000	Neoplasm, malignant		12	9	21
M	8140	Adenocarcinoma, NOS		2	0	2
M	8160	Cholangiocarcinoma		25	26	51
M	8246	Neuroendocrine carcinoma, NOS		1	0	1
M	8480	Mucinous adenocarcinoma		0	1	1
C23 GALLBLADDER						
C239	Gallbladder			3	4	7
M	8000	Neoplasm, malignant		1	3	4
M	8010	Carcinoma, NOS		0	0	0
M	8140	Adenocarcinoma, NOS		2	1	3
C24 OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT						
C240	Extrahepatic bile duct			2	1	3
M	8140	Adenocarcinoma, NOS		2	0	2
M	8160	Cholangiocarcinoma		0	1	1
C241	Ampulla of Vater			3	1	4
M	8140	Adenocarcinoma, NOS		2	0	2
M	8211	Tubular adenocarcinoma		1	0	1
M	8246	Neuroendocrine carcinoma, NOS		0	1	1
C25 PANCREAS						
C250	Head of pancreas			7	14	21
M	8000	Neoplasm, malignant		1	1	2
M	8010	Carcinoma, NOS		1	0	1
M	8140	Adenocarcinoma, NOS		3	12	15
M	8453	Intraductal papillary mucinous neoplasm with an associated invasive carcinoma		1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
M	8500	Infiltrating duct carcinoma, NOS		0	1	1
M	8560	Adenosquamous carcinoma		1	0	1
C251	Body of pancreas			5	6	11
M	8000	Neoplasm, malignant		1	0	1
M	8010	Carcinoma, NOS		0	1	1
M	8140	Adenocarcinoma, NOS		3	4	7
M	8240	Neuroendocrine carcinoma, well-differentiated		0	1	1
M	8500	Infiltrating duct carcinoma, NOS		1	0	1
C252	Tail of pancreas			6	4	10
M	8000	Neoplasm, malignant		2	1	3
M	8140	Adenocarcinoma, NOS		4	3	7
C257	Other specified parts of pancreas			1	0	1
M	8000	Neoplasm, malignant		1	0	1
C258	Overlapping lesion of pancreas			5	2	7
M	8000	Neoplasm, malignant		2	0	2
M	8010	Carcinoma, NOS		0	1	1
M	8140	Adenocarcinoma, NOS		2	1	3
M	8246	Neuroendocrine carcinoma, NOS		1	0	1
C259	Pancreas, NOS			6	8	14
M	8000	Neoplasm, malignant		1	2	3
M	8140	Adenocarcinoma, NOS		2	3	5
M	8246	Neuroendocrine carcinoma, NOS		2	0	2
M	8249	Atypical carcinoid tumor		0	1	1
M	8500	Infiltrating duct carcinoma, NOS		1	1	2
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS					
C269	Gastrointestinal tract, NOS			0	1	1
M	8936	Gastrointestinal stromal tumor, malignant		0	1	1
C30	NASAL CAVITY AND MIDDLE EAR					
C300	Nasal cavity			3	1	4
M	8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS		1	0	1
M	9522	Olfactory neuroblastoma		1	0	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
M	9719	NK/T-cell lymphoma, nasal and nasal-type		1	0	1
C31	ACCESSORY SINUSES					
C310	Maxillary Sinus			4	0	4
M	8070	Squamous cell carcinoma, NOS		2	0	2
M	8071	Squamous cell carcinoma, keratinizing, NOS		1	0	1
M	9522	Olfactory neuroblastoma		1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C32	LARYNX					
	C320	Glottis		7	0	7
	M	8070	Squamous cell carcinoma, NOS	4	0	4
	M	8071	Squamous cell carcinoma, keratinizing, NOS	3	0	3
	C321	Supraglottis		6	2	8
	M	8070	Squamous cell carcinoma, NOS	5	0	5
	M	8071	Squamous cell carcinoma, keratinizing, NOS	1	1	2
	M	8076	Squamous cell carcinoma, microinvasive	0	1	1
	C329	Larynx		1	0	1
	M	8070	Squamous cell carcinoma, NOS	1	0	1
C34	BRONCHUS AND LUNG					
	C341	Upper lobe, lung		76	46	122
	M	8000	Neoplasm, malignant	3	0	3
	M	8010	Carcinoma, NOS	0	1	1
	M	8012	Large cell carcinoma, NOS	1	0	1
	M	8013	Large cell neuroendocrine carcinoma	1	0	1
	M	8033	Sarcomatoid carcinoma	2	0	2
	M	8041	Small cell carcinoma, NOS	5	0	5
	M	8045	Combined small cell-adenocarcinoma	1	0	1
	M	8046	Non-small cell carcinoma	5	2	7
	M	8070	Squamous cell carcinoma, NOS	5	0	5
	M	8071	Squamous cell carcinoma, keratinizing, NOS	2	0	2
	M	8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS	6	0	6
	M	8140	Adenocarcinoma, NOS	35	27	62
	M	8230	Solid carcinoma, NOS	1	0	1
	M	8252	Bronchiolo-alveolar carcinoma, non-mucinous	1	0	1
	M	8260	Papillary adenocarcinoma, NOS	1	3	4
	M	8480	Mucinous adenocarcinoma	0	1	1
	M	8550	Acinar cell carcinoma	7	10	17
	M	8560	Adenosquamous carcinoma	0	2	2
	C342	Middle lobe, lung		5	10	15
	M	8046	Non-small cell carcinoma	0	1	1
	M	8070	Squamous cell carcinoma, NOS	0	1	1
	M	8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS	2	0	2
	M	8140	Adenocarcinoma, NOS	1	5	6
	M	8260	Papillary adenocarcinoma, NOS	0	1	1
	M	8323	Mixed cell adenocarcinoma	1	0	1
	M	8550	Acinar cell carcinoma	1	2	3

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C343	Lower lobe, lung			34	45	79
M	8000	Neoplasm, malignant		1	1	2
M	8010	Carcinoma, NOS		0	1	1
M	8033	Sarcomatoid carcinoma		1	0	1
M	8041	Small cell carcinoma, NOS		1	0	1
M	8046	Non-small cell carcinoma		1	1	2
M	8070	Squamous cell carcinoma, NOS		1	1	2
M	8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS		1	0	1
M	8140	Adenocarcinoma, NOS		13	25	38
M	8244	Mixed adenoneuroendocrine carcinoma		1	0	1
M	8260	Papillary adenocarcinoma, NOS		2	2	4
M	8265	Micropapillary carcinoma, NOS		2	0	2
M	8480	Mucinous adenocarcinoma		1	2	3
M	8503	Intraductal papillary adenocarcinoma with invasion		1	0	1
M	8550	Acinar cell carcinoma		8	11	19
M	8560	Adenosquamous carcinoma		0	1	1
C348	Overlapping lesion of lung			4	1	5
M	8140	Adenocarcinoma, NOS		3	1	4
M	9663	Classical Hodgkin lymphoma, nodular sclerosis, NOS		1	0	1
C349	Lung, NOS			29	28	57
M	8000	Neoplasm, malignant		3	1	4
M	8010	Carcinoma, NOS		2	2	4
M	8041	Small cell carcinoma, NOS		3	0	3
M	8046	Non-small cell carcinoma		1	1	2
M	8070	Squamous cell carcinoma, NOS		1	1	2
M	8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS		2	1	3
M	8140	Adenocarcinoma, NOS		15	17	32
M	8230	Solid carcinoma, NOS		0	1	1
M	8265	Micropapillary carcinoma, NOS		1	1	2
M	8480	Mucinous adenocarcinoma		0	1	1
M	8550	Acinar cell carcinoma		0	2	2
M	8560	Adenosquamous carcinoma		1	0	1
C37	THYMUS					
C379	Thymus			4	1	5
M	8070	Squamous cell carcinoma, NOS		1	0	1
M	8582	Thymoma, type AB, malignant		1	1	2
M	8585	Thymoma, type B3, NOS		1	0	1
M	8586	Thymic carcinoma, NOS		1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C38 HEART, MEDIASTINUM, AND PLEURA						
C380	Heart			1	0	1
M	9130	Kaposiform hemangioendothelioma		1	0	1
C381	Anterior mediastinum			1	1	2
M	9663	Classical Hodgkin lymphoma, nodular sclerosis, NOS		1	0	1
M	9679	Mediastinal large B-cell lymphoma		0	1	1
C383	Mediastinum, NOS			1	1	2
M	9064	Germ cell tumor, NOS		1	0	1
M	9663	Classical Hodgkin lymphoma, nodular sclerosis, NOS		0	1	1
C384	Pleura, NOS			1	0	1
M	9052	Epithelioid mesothelioma, NOS		1	0	1
C40 BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS						
C402	Long bones of lower limb			0	2	2
M	8000	Neoplasm, malignant		0	1	1
M	9180	Osteosarcoma, NOS		0	1	1
C41 BONE, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES						
C411	Mandible			1	0	1
M	9680	Malignant lymphoma, large B-cell, diffuse		1	0	1
C412	Vertebral column			0	1	1
M	9680	Malignant lymphoma, large B-cell, diffuse		0	1	1
C413	Rib, sternum, clavicle and associated joints			0	1	1
M	9240	Mesenchymal chondrosarcoma		0	1	1
C42 HEMATOPOIETIC AND RETICULOENDOTHELIAL SYSTEMS						
C420	Blood			0	1	1
M	9761	Waldenstrom macroglobulinemia		0	1	1
C421	Bone marrow			19	21	40
M	9699	Marginal zone B-cell lymphoma, NOS		2	2	4
M	9732	Multiple myeloma		6	8	14
M	9811	B lymphoblastic leukemia/lymphoma, NOS		1	0	1
M	9823	B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma		1	4	5
M	9837	T lymphoblastic leukemia		1	0	1
M	9861	Acute myeloid leukemia		5	6	11
M	9863	Chronic myeloid leukemia, NOS		2	1	3
M	9961	Polycythemia vera		1	0	1
C422	Spleen			1	0	1
M	9690	Follicular lymphoma, NOS		1	0	1
C44 SKIN						
C441	Eyelid			0	3	3
M	8090	Basal cell carcinoma, NOS		0	1	1
M	8097	Basal cell carcinoma, nodular		0	2	2

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C442	External ear			5	1	6
M	8070	Squamous cell carcinoma, NOS		3	0	3
M	8097	Basal cell carcinoma, nodular		2	1	3
C443	Skin of other and unspecified parts of face			5	7	12
M	8070	Squamous cell carcinoma, NOS		1	1	2
M	8090	Basal cell carcinoma, NOS		2	2	4
M	8097	Basal cell carcinoma, nodular		2	2	4
M	8247	Merkel cell carcinoma		0	1	1
M	9700	Mycosis fungoides		0	1	1
C444	Skin of scalp and neck			1	2	3
M	8097	Basal cell carcinoma, nodular		0	2	2
M	8390	Adnexal carcinoma		1	0	1
C445	Skin of trunk			2	4	6
M	8070	Squamous cell carcinoma, NOS		0	2	2
M	8071	Squamous cell carcinoma, keratinizing, NOS		0	1	1
M	8720	Malignant melanoma, NOS		0	1	1
M	8721	Nodular melanoma		1	0	1
M	8802	Giant cell sarcoma (except of bone)		1	0	1
C446	Skin of upper limb and shoulder			3	5	8
M	8070	Squamous cell carcinoma, NOS		2	0	2
M	8097	Basal cell carcinoma, nodular		1	1	2
M	8246	Neuroendocrine carcinoma, NOS		0	1	1
M	8720	Malignant melanoma, NOS		0	1	1
M	8832	Dermatofibrosarcoma protuberans, NOS		0	1	1
M	9700	Mycosis fungoides		0	1	1
C447	Skin of lower limb and hip			4	3	7
M	8070	Squamous cell carcinoma, NOS		1	0	1
M	8721	Nodular melanoma		2	1	3
M	8744	Acral lentiginous melanoma, malignant		1	0	1
M	8772	Spindle cell melanoma. NOS		0	1	1
M	9708	Subcutaneous panniculitis-like T-cell lymphoma		0	1	1
C449	Skin, NOS			0	1	1
M	8097	Basal cell carcinoma, nodular		0	1	0
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM					
C474	Peripheral nerves and autonomic nervous system of abdomen			0	1	1
M	9540	Malignant peripheral nerve sheath tumor		0	1	1
C48	RETROPERITONEUM AND PERITONEUM					
C480	Retroperitoneum			0	4	4
M	8890	Leiomyosarcoma, NOS		0	2	2
M	9240	Mesenchymal chondrosarcoma		0	1	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
M	9699	Marginal zone B-cell lymphoma, NOS		0	1	1
C481		Specified parts of peritoneum		0	2	2
M	8461	Primary serous papillary carcinoma of peritoneum		0	2	2
C482		Peritoneum, NOS		0	5	5
M	8010	Carcinoma, NOS		0	1	1
M	8140	Adenocarcinoma, NOS		0	3	3
M	8441	Serous cystadenocarcinoma, NOS		0	1	1
C49		CONNECTIVE, SUBCUTANEOUS AND OTHER SOFT TISSUES				
C490		Soft tissues of head, face, and neck		1	0	1
M	8805	Undifferentiated sarcoma		1	0	1
C491		Soft tissues of upper limb and shoulder		2	1	3
M	8854	Pleomorphic liposarcoma		1	0	1
M	9044	Clear cell sarcoma, NOS		0	1	1
M	9260	Ewing sarcoma		1	0	1
C492		Soft tissues of lower limb and hip		2	7	9
M	8802	Giant cell sarcoma (except of bone)		0	1	1
M	8804	Epithelioid sarcoma		0	1	1
M	8805	Undifferentiated sarcoma		1	0	1
M	8811	Fibromyxosarcoma		1	1	2
M	8851	Liposarcoma, differentiated		0	2	2
M	8858	Dedifferentiated liposarcoma		0	1	1
M	8963	Malignant rhabdoid tumor		0	1	1
C495		Soft tissues of pelvis		2	0	2
M	8800	Sarcoma, NOS		1	0	1
M	9702	Mature T-cell lymphoma, NOS		1	0	1
C496		Soft tissues of trunk, NOS		1	0	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		1	0	1
C50		BREAST				
C500		Nipple		0	3	3
M	8500	Infiltrating duct carcinoma, NOS		0	2	2
M	8540	Paget disease of breast		0	1	1
C501		Central portion of breast		0	22	22
M	8010	Carcinoma, NOS		0	1	1
M	8500	Infiltrating duct carcinoma, NOS		0	18	18
M	8503	Intraductal papillary adenocarcinoma with invasion		0	1	1
M	8520	Lobular carcinoma, NOS		0	1	1
M	9020	Phyllodes tumor, malignant		0	1	1
C502		Upper-inner quadrant of breast		0	36	36
M	8201	Cribriform carcinoma, NOS		0	1	1
M	8480	Mucinous adenocarcinoma		0	1	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
M	8500	Infiltrating duct carcinoma, NOS		0	30	30
M	8504	Intracystic carcinoma, NOS		0	1	1
M	8507	Intraductal micropapillary carcinoma		0	1	1
M	8520	Lobular carcinoma, NOS		0	1	1
M	8522	Infiltrating duct and lobular carcinoma		0	1	1
C503	Lower-inner quadrant of breast			0	19	19
M	8500	Infiltrating duct carcinoma, NOS		0	18	18
M	8507	Intraductal micropapillary carcinoma		0	1	1
C504	Upper-outer quadrant of breast			0	129	129
M	8050	Papillary carcinoma, NOS		0	1	1
M	8140	Adenocarcinoma, NOS		0	1	1
M	8480	Mucinous adenocarcinoma		0	2	2
M	8500	Infiltrating duct carcinoma, NOS		0	117	117
M	8503	Intraductal papillary adenocarcinoma with invasion		0	2	2
M	8504	Intracystic carcinoma, NOS		0	1	1
M	8507	Intraductal micropapillary carcinoma		0	1	1
M	8520	Lobular carcinoma, NOS		0	4	4
C505	Lower-outer quadrant of breast			0	33	33
M	8010	Carcinoma, NOS		0	1	1
M	8480	Mucinous adenocarcinoma		0	1	1
M	8500	Infiltrating duct carcinoma, NOS		0	28	28
M	8503	Intraductal papillary adenocarcinoma with invasion		0	1	1
M	8520	Lobular carcinoma, NOS		0	2	2
C508	Overlapping lesion of breast			1	97	98
M	8480	Mucinous adenocarcinoma		0	5	5
M	8500	Infiltrating duct carcinoma, NOS		1	76	77
M	8503	Intraductal papillary adenocarcinoma with invasion		0	3	3
M	8520	Lobular carcinoma, NOS		0	5	5
M	8522	Infiltrating duct and lobular carcinoma		0	1	1
M	8523	Infiltrating duct and mucinous carcinoma		0	2	2
M	8524	Infiltrating lobular mixed with other types of carcinoma		0	1	1
M	8552	Medullary carcinoma, NOS		0	1	1
M	9120	Angiosarcoma		0	1	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	2	2
C509	Breast, NOS			2	120	122
M	8000	Neoplasm, malignant		0	4	4
M	8010	Carcinoma, NOS		1	8	9
M	8480	Mucinous adenocarcinoma		0	1	1
M	8500	Infiltrating duct carcinoma, NOS		1	95	96
M	8503	Intraductal papillary adenocarcinoma with invasion		0	3	3

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
M	8507	Intraductal micropapillary carcinoma		0	1	1
M	8520	Lobular carcinoma, NOS		0	2	2
M	8522	Infiltrating duct and lobular carcinoma		0	1	1
M	8523	Infiltrating duct and mucinous carcinoma		0	3	3
M	9020	Phyllodes tumor, malignant		0	1	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
C51 VULVA						
C519	Vulva, NOS			0	2	2
M	8076	Squamous cell carcinoma, microinvasive		0	1	1
M	8720	Malignant melanoma, NOS		0	1	1
C52 VAGINA						
C529	Vagina			0	3	3
M	8071	Squamous cell carcinoma, keratinizing, NOS		0	1	1
M	8720	Malignant melanoma, NOS		0	2	2
C53 CERVICAL						
C530	Endocervix			0	21	21
M	8070	Squamous cell carcinoma, NOS		0	1	1
M	8140	Adenocarcinoma, NOS		0	14	14
M	8310	Clear cell adenocarcinoma, NOS		0	1	1
M	8380	Endometrioid adenocarcinoma, NOS		0	2	2
M	8384	Adenocarcinoma, endocervical type		0	3	3
C531	Exocervix			0	53	53
M	8052	Papillary squamous cell carcinoma		0	1	1
M	8070	Squamous cell carcinoma, NOS		0	23	23
M	8071	Squamous cell carcinoma, keratinizing, NOS		0	2	2
M	8072	Squamous cell carcinoma, large cell, nonkeratinizing, NOS		0	27	27
C539	Cervix uteri			0	13	13
M	8000	Neoplasm, malignant		0	1	1
M	8020	Carcinoma, undifferentiated, NOS		0	1	1
M	8041	Small cell carcinoma, NOS		0	5	5
M	8070	Squamous cell carcinoma, NOS		0	5	5
M	8560	Adenosquamous carcinoma		0	1	1
C54 CORPUS UTERI						
C541	Endometrium			0	68	68
M	8140	Adenocarcinoma, NOS		0	2	2
M	8310	Clear cell adenocarcinoma, NOS		0	5	5
M	8380	Endometrioid adenocarcinoma, NOS		0	50	50
M	8384	Adenocarcinoma, endocervical type		0	1	1
M	8441	Serous cystadenocarcinoma, NOS		0	5	5
M	8980	Carcinosarcoma, NOS		0	5	5

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C549	Corpus uteri			0	8	8
M	8010	Carcinoma, NOS		0	1	1
M	8310	Clear cell adenocarcinoma, NOS		0	1	1
M	8380	Endometrioid adenocarcinoma, NOS		0	4	4
M	8441	Serous cystadenocarcinoma, NOS		0	2	2
C55	UTERUS					
C559	Uterus, NOS			0	1	1
M	8890	Leiomyosarcoma, NOS		0	1	1
C56	OVARY					
C569	Ovary			0	51	51
M	8000	Neoplasm, malignant		0	1	1
M	8010	Carcinoma, NOS		0	3	3
M	8140	Adenocarcinoma, NOS		0	5	5
M	8240	Carcinoid, NOS		0	1	1
M	8310	Clear cell adenocarcinoma, NOS		0	14	14
M	8380	Endometrioid adenocarcinoma, NOS		0	4	4
M	8441	Serous cystadenocarcinoma, NOS		0	12	12
M	8470	Mucinous cystadenocarcinoma, NOS		0	1	1
M	8472	Mucinous cystic tumor of borderline malignancy		0	1	1
M	8480	Mucinous adenocarcinoma		0	4	4
M	8620	Granulosa cell tumor, malignant		0	3	3
M	8890	Leiomyosarcoma, NOS		0	1	1
M	9071	Yolk sac tumor		0	1	1
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS					
C570	Fallopian tube			0	4	4
M	8140	Adenocarcinoma, NOS		0	1	1
M	8441	Serous cystadenocarcinoma, NOS		0	3	3
C574	Uterine adnexa			0	1	1
M	8441	Serous cystadenocarcinoma, NOS		0	1	1
C578	Overlapping lesion of female genital organs			0	12	12
M	8010	Carcinoma, NOS		0	3	3
M	8140	Adenocarcinoma, NOS		0	2	2
M	8441	Serous cystadenocarcinoma, NOS		0	7	7
C60	PENIS					
C609	Penis, NOS			1	0	1
M	8070	Squamous cell carcinoma, NOS		1	0	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C61	PROSTATE GLAND					
	C619	Prostate gland		164	0	164
	M	8000	Neoplasm, malignant	1	0	1
	M	8010	Carcinoma, NOS	1	0	1
	M	8140	Adenocarcinoma, NOS	36	0	36
	M	8500	Infiltrating duct carcinoma, NOS	1	0	1
	M	8550	Acinar cell carcinoma	125	0	125
C62	TESTIS					
	C629	Testis, NOS		8	0	8
	M	9061	Seminoma, NOS	5	0	5
	M	9070	Embryonal carcinoma, NOS	1	0	1
	M	9085	Mixed germ cell tumor	1	0	1
	M	9680	Malignant lymphoma, large B-cell, diffuse, NOS	1	0	1
C64	KIDNEY					
	C649	Kidney		11	9	20
	M	8000	Neoplasm, malignant	0	1	1
	M	8010	Carcinoma, NOS	0	1	1
	M	8120	Transitional cell carcinoma, NOS	1	1	2
	M	8246	Neuroendocrine carcinoma, NOS	1	1	2
	M	8312	Renal cell carcinoma, NOS	9	5	14
C65	RENAL PELVIS					
	C659	Renal pelvis		1	0	1
	M	8120	Transitional cell carcinoma, NOS	1	0	1
C66	URETER					
	C669	Ureter		0	2	2
	M	8130	Papillary transitional cell carcinoma	0	2	2
C67	BLADDER					
	C672	Lateral wall of bladder		0	1	1
	M	8130	Papillary transitional cell carcinoma	0	1	1
	C673	Anterior wall of bladder		0	1	1
	M	8130	Papillary transitional cell carcinoma	0	1	1
	C679	Bladder, NOS		27	5	32
	M	8000	Neoplasm, malignant	2	0	2
	M	8120	Transitional cell carcinoma, NOS	17	5	22
	M	8130	Papillary transitional cell carcinoma	6	0	6
	M	8140	Adenocarcinoma, NOS	2	0	2
C68	URETHRA					
	C680	Urethra		0	1	1
	M	8490	Signet ring cell carcinoma	0	1	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C71	BRAIN					
C710	Cerebrum			0	1	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		0	1	1
C711	Frontal lobe			3	2	5
M	9380	Glioma, malignant		1	2	3
M	9440	Glioblastoma, NOS		1	0	1
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		1	0	1
C712	Temporal lobe			0	1	1
M	9400	Astrocytoma, NOS		0	1	1
C713	Parietal lobe			0	1	1
M	9440	Glioblastoma, NOS		0	1	1
C714	Occipital lobe			1	0	1
M	9440	Glioblastoma, NOS		0	1	1
C716	Cerebellum, NOS			1	0	1
M	8000	Neoplasm, malignant		1	0	1
C718	Overlapping lesion of brain			1	1	2
M	9380	Glioma, malignant		1	1	2
C719	Brain, NOS			1	0	1
M	8000	Neoplasm, malignant		1	0	1
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM					
C729	Nervous system, NOS			0	1	1
M	8000	Neoplasm, malignant		0	1	1
C73	THYROID GLAND					
C739	Thyroid gland			38	144	182
M	8000	Neoplasm, malignant		1	0	1
M	8010	Carcinoma, NOS		0	2	2
M	8021	Carcinoma, anaplastic, NOS		2	2	4
M	8260	Papillary adenocarcinoma, NOS		26	102	128
M	8290	Oxyphilic adenocarcinoma		0	3	3
M	8330	Follicular adenocarcinoma, NOS		5	11	16
M	8335	Follicular carcinoma, minimally invasive		0	3	3
M	8337	Insular carcinoma		0	1	1
M	8340	Papillary carcinoma, follicular variant		2	6	8
M	8341	Papillary microcarcinoma		1	8	9
M	8343	Papillary carcinoma, encapsulate		0	1	1
M	8344	Papillary carcinoma, tall cell		0	4	4
M	9680	Malignant lymphoma, large B-cell, diffuse, NOS		1	0	1
M	9698	Follicular lymphoma, grade 3		0	1	1

SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
C74 ADRENAL GLAND						
C741			Medulla of adrenal gland	1	0	1
M	8700		Pheochromocytoma, malignant	1	0	1
C749			Adrenal gland, NOS	0	1	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	0	1	1
C76 OTHER AND ILL-DEFINED SITES						
C760			Head, face or neck, NOS	1	1	2
M	9650		Hodgkin lymphoma, NOS	0	0	0
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	1	1	2
C762			Abdomen, NOS	0	1	1
M	8240		Neuroendocrine carcinoma, well-differentiated	0	1	1
C763			Pelvis, NOS	1	0	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	1	0	1
C77 LYMPH NODES						
C770			Lymph nodes of head, face and neck	13	14	27
M	9650		Hodgkin lymphoma, NOS	1	0	1
M	9663		Classic Hodgkin lymphoma, nodular sclerosis, NOS	2	3	5
M	9673		Mantle cell lymphoma	1	0	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	6	6	12
M	9690		Follicular lymphoma, NOS	0	1	1
M	9695		Follicular lymphoma, grade 1	0	1	1
M	9698		Follicular lymphoma, grade 3	1	1	2
M	9699		Marginal zone B-cell lymphoma, NOS	1	1	2
M	9702		Mature T-cell lymphoma, NOS	0	1	1
M	9823		B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma	1	0	1
C772			Intra-abdominal lymph nodes	2	3	5
M	8000		Neoplasm, malignant	0	0	0
M	9596		B-cell lymphoma and classical Hodgkin lymphoma	0	1	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	1	1	2
M	9691		Follicular lymphoma, grade 2	1	0	1
M	9698		Follicular lymphoma, grade 3	0	1	1
C773			Lymph nodes of axilla or arm	0	4	4
M	9044		Clear cell sarcoma, NOS	0	1	1
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	0	2	2
M	9698		Follicular lymphoma, grade 3	0	1	1
C774			Lymph nodes , inguinal region or leg	5	3	8
M	9680		Malignant lymphoma, large B-cell, diffuse, NOS	1	2	3
M	9691		Follicular lymphoma, grade 2	0	1	1
M	9695		Follicular lymphoma, grade 1	1	0	1



SITE CODE	ICD-O	PATHOLOGY	MORPHOLOGY DESCRIPTION	MALE	FEMALE	TOTAL
M	9698	Follicular lymphoma, grade 3		1	0	1
M	9699	Marginal zone B-cell lymphoma, NOS		1	0	1
M	9705	Angioimmunoblastic T-cell lymphoma		1	0	1
C775		Intrathoracic lymph nodes		1	0	1
M	9652	Classical Hodgkin lymphoma, mixed cellularity, NOS		1	0	1
C778		Lymph nodes of multiple regions		0	1	1
M	9652	Classical Hodgkin lymphoma, mixed cellularity, NOS		0	1	1
C779		Lymphnode,NOS		1	0	1
M	9652	Classical Hodgkin lymphoma, mixed cellularity, NOS		1	0	1
C80		UNKNOWN PRIMARY SITE				
C809		Unknown Primary site		9	15	24
M	8000	Neoplasm, malignant		2	3	5
M	8010	Carcinoma, NOS		2	4	6
M	8041	Small cell carcinoma, NOS		0	1	1
M	8070	Squamous cell carcinoma, NOS		0	1	1
M	8071	Squamous cell carcinoma, keratinizing, NOS		1	0	1
M	8140	Adenocarcinoma, NOS		3	3	6
M	8246	Neuroendocrine carcinoma, NOS		0	1	1
M	8480	Mucinous adenocarcinoma		1	1	2
M	8890	Leiomyosarcoma, NOS		0	1	1
รวม				1,059	1,470	2,529

ตารางแสดงวิธีการรักษาโรคมะเร็ง (Method of Treatment)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	93	8.8%	110	7.5%	203	8.0%
Chemotherapy	128	12.1%	151	10.3%	279	11.0%
Hormone	31	2.9%	17	1.2%	48	1.9%
Targeted therapy/Immunotherapy	26	2.5%	30	2.0%	56	2.2%
Radiation	51	4.8%	70	4.8%	121	4.8%
Others	59	5.6%	58	3.9%	117	4.6%
Intervention	34	3.2%	22	1.5%	56	2.2%
Supportive	51	4.8%	50	3.4%	101	4.0%
Loss follow up/Refer	115	10.9%	91	6.2%	206	8.1%
Surgery+Chemotherapy	78	7.4%	74	5.0%	152	6.0%
Surgery+Radiation	8	0.8%	21	1.4%	29	1.1%
Surgery+Hormone	7	0.7%	34	2.3%	41	1.6%
Surgery+Targeted therapy/Immunotherapy	10	0.9%	5	0.3%	15	0.6%
Surgery+Intervention	7	0.7%	2	0.1%	9	0.4%
Surgery+Others	13	1.2%	13	0.9%	26	1.0%
Surgery+Chemotherapy+Hormone	2	0.2%	28	1.9%	30	1.2%
Surgery+Chemotherapy+Radiation	28	2.6%	40	2.7%	68	2.7%
Surgery+Chemotherapy+Targeted therapy/Immunotherapy	2	0.2%	33	2.2%	35	1.4%
Surgery+Chemotherapy+Others	2	0.2%	2	0.1%	4	0.2%
Surgery+Targeted therapy+Radiation	0	0.0%	4	0.3%	4	0.2%
Surgery+Targeted therapy+Others	0	0.0%	1	0.1%	1	0.0%
Surgery+Hormone+Radiation	7	0.7%	29	2.0%	36	1.4%
Surgery+Radiation+Others	0	0.0%	2	0.1%	2	0.1%
Surgery+Intervention+Others	1	0.1%	0	0.0%	1	0.0%
Surgery+Chemotherapy+Targeted therapy/Immunotherapy+Radiation	2	0.2%	21	1.4%	23	0.9%
Surgery+Chemotherapy+Radiation+Hormone	1	0.1%	48	3.3%	49	1.9%
Surgery+Chemotherapy+Radiation+Others	0	0.0%	1	0.1%	1	0.0%
Surgery+Chemotherapy+Targeted therapy+Hormone	0	0.0%	3	0.2%	3	0.1%
Surgery+Chemotherapy+Radiation+Hormone+Targeted therapy/Immunotherapy	0	0.0%	18	1.2%	18	0.7%
Surgery+Chemotherapy+Radiation+Hormone+Others	0	0.0%	1	0.1%	1	0.0%
Chemotherapy+Hormone	12	1.1%	22	1.5%	34	1.3%
Chemotherapy+Targeted therapy/Immunotherapy	70	6.6%	86	5.9%	156	6.2%
Chemotherapy+Radiation	83	7.8%	101	6.9%	184	7.3%
Chemotherapy+Intervention	10	0.9%	6	0.4%	16	0.6%
Chemotherapy+Others	8	0.8%	12	0.8%	20	0.8%
Chemotherapy+Targeted therapy/Immunotherapy+Radiation	16	1.5%	34	2.3%	50	2.0%
Chemotherapy+Hormone+Radiation	5	0.5%	22	1.5%	27	1.1%


ตารางแสดงวิธีการรักษาโรคมะเร็ง (ต่อ) (Method of Treatment)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Chemotherapy+Hormone+Targeted therapy	0	0.0%	10	0.7%	10	0.4%
Chemotherapy+Hormone+Immunotherapy	0	0.0%	1	0.1%	1	0.0%
Chemotherapy+Hormone+Others	0	0.0%	2	0.1%	2	0.1%
Chemotherapy+Targeted therapy+Intervention	3	0.3%	0	0.0%	3	0.1%
Chemotherapy+Targeted therapy+Others	3	0.3%	7	0.5%	10	0.4%
Chemotherapy+Radiation+Intervention	3	0.3%	2	0.1%	5	0.2%
Chemotherapy+Radiation+Others	2	0.2%	1	0.1%	3	0.1%
Chemotherapy+Targeted therapy/Immunotherapy+Hormone+Radiation	0	0.0%	15	1.0%	15	0.6%
Chemotherapy+Targeted therapy+Radiation+Others	0	0.0%	3	0.2%	3	0.1%
Chemotherapy+Hormone+Radiation+Others	0	0.0%	1	0.1%	1	0.0%
Hormone+Radiation	67	6.3%	122	8.3%	189	7.5%
Hormone+Targeted therapy	1	0.1%	10	0.7%	11	0.4%
Hormone+Intervention	1	0.1%	0	0.0%	1	0.0%
Hormone+Others	2	0.2%	1	0.1%	3	0.1%
Hormone+Targeted therapy/Immunotherapy+Radiation	0	0.0%	4	0.3%	4	0.2%
Hormone+Radiation+Others	1	0.1%	4	0.3%	5	0.2%
Hormone+Targeted therapy+Others	0	0.0%	2	0.1%	2	0.1%
Hormone+Targeted therapy+Radiation+Others	0	0.0%	2	0.1%	2	0.1%
Radiation+Targeted therapy	6	0.6%	10	0.7%	16	0.6%
Radiation+Others	3	0.3%	3	0.2%	6	0.2%
Radiation+Targeted therapy/Immunotherapy+Others	0	0.0%	2	0.1%	2	0.1%
Radiation+Immunotherapy+Others	0	0.0%	1	0.1%	1	0.0%
Targeted therapy+Others	2	0.2%	2	0.1%	4	0.2%
Targeted therapy/Immunotherapy+Intervention	4	0.4%	0	0.0%	4	0.2%
Immunotherapy+Intervention	0	0.0%	1	0.1%	1	0.0%
Immunotherapy+Others	0	0.0%	2	0.1%	2	0.1%
Intervention+Others	1	0.1%	0	0.0%	1	0.0%
รวม	1,059	100%	1,470	100%	2,529	100%

Others: Follow up clinical/imaging, Observe, Plan surveillance

ตารางและกราฟแสดงจำนวนผู้ป่วยที่เข้ามารับการรักษา ในโรงพยาบาลจุฬาภรณ์ จำแนกตามสิทธิการรักษา

สิทธิการรักษาในโรงพยาบาลจุฬาภรณ์	จำนวน
ข้าราชการและครอบครัว	967
บุคคลทั่วไป	811
สปสช.	547
รัฐวิสาหกิจและครอบครัว	122
ประกันสังคม	53
เจ้าหน้าที่รพจและครอบครัว	14
พนักงานและครอบครัวสังกัดสถาบันวิจัยจุฬาภรณ์	6
โครงการวิจัยรพจ.	4
โครงการบำเพ็ญพระกุศลฯ	2
คนไข้ในพระอนุเคราะห์	2
ประกันชีวิต	1
รวม	2,529




ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในประเทศไทย (Residence of Cancer Patients from Thailand)

จังหวัด	รหัสจังหวัด	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
กรุงเทพมหานคร	10	394	37.20	528	35.92	922	36.46
นนทบุรี	12	103	9.73	150	10.20	253	10.00
ปทุมธานี	13	78	7.37	98	6.67	176	6.96
พระนครศรีอยุธยา	14	26	2.46	32	2.18	58	2.29
สมุทรปราการ	11	30	2.83	71	4.83	101	3.99
นครปฐม	73	18	1.70	16	1.09	34	1.34
สุพรรณบุรี	72	10	0.94	12	0.82	22	0.87
ประจวบคีรีขันธ์	77	5	0.47	12	0.82	17	0.67
ชลบุรี	20	14	1.32	24	1.63	38	1.50
นครราชสีมา	30	16	1.51	18	1.22	34	1.34
กาญจนบุรี	71	9	0.85	17	1.16	26	1.03
นครสวรรค์	60	12	1.13	17	1.16	29	1.15
ฉะเชิงเทรา	24	8	0.76	15	1.02	23	0.91
เพชรบูรณ์	67	12	1.13	13	0.88	25	0.99
สระบุรี	19	10	0.94	19	1.29	29	1.15
เพชรบุรี	76	9	0.85	8	0.54	17	0.67
ชัยนาท	18	28	2.64	36	2.45	64	2.53
สมุทรสาคร	74	4	0.38	4	0.27	8	0.32
ลพบุรี	16	23	2.17	21	1.43	44	1.74
ปราจีนบุรี	25	3	0.28	12	0.82	15	0.59
ระยอง	21	11	1.04	14	0.95	25	0.99
สระแก้ว	27	4	0.38	9	0.61	13	0.51
ราชบุรี	70	4	0.38	6	0.41	10	0.40
บุรีรัมย์	31	4	0.38	15	1.02	19	0.75
ชุมพร	86	8	0.76	8	0.54	16	0.63
นครนายก	26	1	0.09	6	0.41	7	0.28
พิจิตร	66	3	0.28	3	0.20	6	0.24
อุทัยธานี	61	6	0.57	5	0.34	11	0.43
นครศรีธรรมราช	80	7	0.66	7	0.48	14	0.55
สิงห์บุรี	17	5	0.47	10	0.68	15	0.59
สุราษฎร์ธานี	84	5	0.47	5	0.34	10	0.40
กำแพงเพชร	62	6	0.57	9	0.61	15	0.59
ชัยภูมิ	36	4	0.38	5	0.34	9	0.36
ภูเก็ต	83	3	0.28	4	0.27	7	0.28
พิษณุโลก	65	1	0.09	2	0.14	3	0.12
อ่างทอง	15	10	0.94	14	0.95	24	0.95

จังหวัด	รหัสจังหวัด	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ตรัง	92	2	0.19	1	0.07	3	0.12
สมุทรสงคราม	75	2	0.19	1	0.07	3	0.12
สุรินทร์	32	6	0.57	5	0.34	11	0.43
สงขลา	90	5	0.47	5	0.34	10	0.40
จันทบุรี	22	2	0.19	4	0.27	6	0.24
ระนอง	85	4	0.38	3	0.20	7	0.28
ศรีสะเกษ	33	6	0.57	6	0.41	12	0.47
ร้อยเอ็ด	45	3	0.28	1	0.07	4	0.16
เขียงราย	57	3	0.28	1	0.07	4	0.16
เลย	42	2	0.19	3	0.20	5	0.20
น่าน	55	1	0.09	6	0.41	7	0.28
เชียงใหม่	50	2	0.19	2	0.14	4	0.16
อุบลราชธานี	34	6	0.57	8	0.54	14	0.55
ลำปาง	52	3	0.28	1	0.07	4	0.16
นครพนม	48	2	0.19	6	0.41	8	0.32
พะเยา	56	3	0.28	5	0.34	8	0.32
อุดรดิตถ์	53	0	0.00	4	0.27	4	0.16
พัทลุง	93	0	0.00	1	0.07	1	0.04
กระบี่	81	3	0.28	6	0.41	9	0.36
สกลนคร	47	1	0.09	1	0.07	2	0.08
กาฬสินธุ์	46	3	0.28	3	0.20	6	0.24
ตาก	63	5	0.47	1	0.07	6	0.24
อุดรธานี	41	1	0.09	4	0.27	5	0.20
แพร่	54	4	0.38	4	0.27	8	0.32
มหาสารคาม	44	2	0.19	1	0.07	3	0.12
ลำพูน	51	1	0.09	0	0.00	1	0.04
สุโขทัย	64	4	0.38	4	0.27	8	0.32
ขอนแก่น	40	4	0.38	6	0.41	10	0.40
ตราด	23	1	0.09	1	0.07	2	0.08
มุกดาหาร	49	0	0.00	4	0.27	4	0.16
พังงา	82	2	0.19	2	0.14	4	0.16
บึงกาฬ	38	2	0.19	4	0.27	6	0.24
หนองบัวลำภู	39	1	0.09	2	0.14	3	0.12
หนองคาย	43	1	0.09	4	0.27	5	0.20
ปัตตานี	94	0	0.00	2	0.14	2	0.08
นราธิวาส	96	1	0.09	2	0.14	3	0.12
สตูล	91	1	0.09	1	0.07	2	0.08
ยะลา	95	0	0.00	2	0.14	2	0.08
อื่นๆ	0	76	7.18	108	7.35	184	7.28
รวม		1,059	100.00	1,470	100.00	2,529	100.00




แผนที่แสดงจำนวนผู้ป่วยโรคมะเร็งที่พบในประเทศไทย (Residence of Cancer Patients from Thailand)



**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง
ที่พบในจังหวัดที่อยู่ภาคเหนือของประเทศไทย
(Residence of Cancer Patients from North)**

จังหวัด	รหัสจังหวัด	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
นครสวรรค์	60	12	18.18	17	22.08	29	20.28
เพชรบูรณ์	67	12	18.18	13	16.88	25	17.48
กำแพงเพชร	62	6	9.09	9	11.69	15	10.49
อุทัยธานี	61	6	9.09	5	6.49	11	7.69
แพร่	54	4	6.06	4	5.19	8	5.59
สุโขทัย	64	4	6.06	4	5.19	8	5.59
พะเยา	56	3	4.55	5	6.49	8	5.59
น่าน	55	1	1.52	6	7.79	7	4.90
พิจิตร	66	3	4.55	3	3.90	6	4.20
ตาก	63	5	7.58	1	1.30	6	4.20
เชียงใหม่	50	2	3.03	2	2.60	4	2.80
อุดรดิตถ์	53	0	0.00	4	5.19	4	2.80
เชียงราย	57	3	4.55	1	1.30	4	2.80
ลำปาง	52	3	4.55	1	1.30	4	2.80
พิษณุโลก	65	1	1.52	2	2.60	3	2.10
ลำพูน	51	1	1.52	0	0.00	1	0.70
รวม		66	100.00	77	100.00	143	100.00


แผนที่แสดงจำนวนผู้ป่วยโรคมะเร็ง
 ที่พบในจังหวัดที่อยู่ภาคเหนือของประเทศไทย
 (Residence of Cancer Patients from North)



**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง
ที่พบในจังหวัดที่อยู่ภาคกลางของประเทศไทย
(Residence of Cancer Patients from Central)**

จังหวัด	รหัสจังหวัด	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
กรุงเทพมหานคร	10	394	48.52	528	46.32	922	47.23
นนทบุรี	12	103	12.68	150	13.16	253	12.96
ปทุมธานี	13	78	9.61	98	8.60	176	9.02
สมุทรปราการ	11	30	3.69	71	6.23	101	5.17
ชัยนาท	18	28	3.45	36	3.16	64	3.28
พระนครศรีอยุธยา	14	26	3.20	32	2.81	58	2.97
ลพบุรี	16	23	2.83	21	1.84	44	2.25
ชลบุรี	20	14	1.72	24	2.11	38	1.95
นครปฐม	73	18	2.22	16	1.40	34	1.74
สระบุรี	19	10	1.23	19	1.67	29	1.49
กาญจนบุรี	71	9	1.11	17	1.49	26	1.33
ระยอง	21	11	1.35	14	1.23	25	1.28
อ่างทอง	15	10	1.23	14	1.23	24	1.23
ฉะเชิงเทรา	24	8	0.99	15	1.32	23	1.18
สุพรรณบุรี	72	10	1.23	12	1.05	22	1.13
ประจวบคีรีขันธ์	77	5	0.62	12	1.05	17	0.87
เพชรบุรี	76	9	1.11	8	0.70	17	0.87
ปราจีนบุรี	25	3	0.37	12	1.05	15	0.77
สิงห์บุรี	17	5	0.62	10	0.88	15	0.77
สระแก้ว	27	4	0.49	9	0.79	13	0.67
ราชบุรี	70	4	0.49	6	0.53	10	0.51
สมุทรสาคร	74	4	0.49	4	0.35	8	0.41
นครนายก	26	1	0.12	6	0.53	7	0.36
จันทบุรี	22	2	0.25	4	0.35	6	0.31
สมุทรสงคราม	75	2	0.25	1	0.09	3	0.15
ตราด	23	1	0.12	1	0.09	2	0.10
รวม		812	100.00	1140	100.00	1,952	100.00

**แผนที่แสดงจำนวนผู้ป่วยโรคมะเร็ง
ที่พบในจังหวัดที่อยู่ภาคกลางของประเทศไทย
(Residence of Cancer Patients from Central)**



**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง
ที่พบในจังหวัดที่อยู่ภาคใต้ของประเทศไทย
(Residence of Cancer Patients from South)**

จังหวัด	รหัสจังหวัด	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ชุมพร	86	8	19.51	8	16.33	16	17.78
นครศรีธรรมราช	80	7	17.07	7	14.29	14	15.56
สงขลา	90	5	12.20	5	10.20	10	11.11
สุราษฎร์ธานี	84	5	12.20	5	10.20	10	11.11
กระบี่	81	3	7.32	6	12.24	9	10.00
ระนอง	85	4	9.76	3	6.12	7	7.78
ภูเก็ต	83	3	7.32	4	8.16	7	7.78
พังงา	82	2	4.88	2	4.08	4	4.44
นราธิวาส	96	1	2.44	2	4.08	3	3.33
ตรัง	92	2	4.88	1	2.04	3	3.33
ปัตตานี	94	0	0.00	2	4.08	2	2.22
ยะลา	95	0	0.00	2	4.08	2	2.22
สตูล	91	1	2.44	1	2.04	2	2.22
พัทลุง	93	0	0.00	1	2.04	1	1.11
รวม		41	100.00	49	100.00	90	100.00


แผนที่แสดงจำนวนผู้ป่วยโรคมะเร็ง
 ที่พบในจังหวัดที่อยู่ภาคใต้ของประเทศไทย
 (Residence of Cancer Patients from South)




**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็ง
ที่พบในจังหวัดที่อยู่ภาคตะวันออกเฉียงเหนือของประเทศไทย
(Residence of Cancer Patients from Patients from Northeast)**

จังหวัด	รหัสจังหวัด	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
นครราชสีมา	30	16	25.00	18	18.75	34	21.25
บุรีรัมย์	31	4	6.25	15	15.63	19	11.88
อุบลราชธานี	34	6	9.38	8	8.33	14	8.75
ศรีสะเกษ	33	6	9.38	6	6.25	12	7.50
สุรินทร์	32	6	9.38	5	5.21	11	6.88
ขอนแก่น	40	4	6.25	6	6.25	10	6.25
ชัยภูมิ	36	4	6.25	5	5.21	9	5.63
นครพนม	48	2	3.13	6	6.25	8	5.00
บึงกาฬ	38	2	3.13	4	4.17	6	3.75
กาฬสินธุ์	46	3	4.69	3	3.13	6	3.75
เลย	42	2	3.13	3	3.13	5	3.13
อุดรธานี	41	1	1.56	4	4.17	5	3.13
หนองคาย	43	1	1.56	4	4.17	5	3.13
ร้อยเอ็ด	45	3	4.69	1	1.04	4	2.50
มุกดาหาร	49	0	0.00	4	4.17	4	2.50
มหาสารคาม	44	2	3.13	1	1.04	3	1.88
หนองบัวลำภู	39	1	1.56	2	2.08	3	1.88
สกลนคร	47	1	1.56	1	1.04	2	1.25
อำนาจเจริญ	37	0	0.00	0	0.00	0	0.00
รวม		64	100.00	96	100.00	160	100.00

แผนที่แสดงจำนวนผู้ป่วยโรคมะเร็ง
 ที่พบในจังหวัดที่อยู่ภาคตะวันออกเฉียงเหนือของประเทศไทย
 (Residence of Cancer Patients from Patients from Northeast)




ข้อมูลมะเร็งที่พบบ่อยในโรงพยาบาลจุฬาภรณ์




มะเร็งเต้านม

Breast Cancer




มะเร็งลำไส้ใหญ่และทวารหนัก

Colorectal Cancer




มะเร็งปอด

Lung Cancer




มะเร็งตับและท่อน้ำดี

Liver and Bile duct Cancer



มะเร็งไทรอยด์

Thyroid gland Cancer





มะเร็งต่อมลูกหมาก

Prostate Cancer




Breast Cancer




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม (Type of Location for Breast Cancer)

รหัส	ตำแหน่งโรค	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
C500	Nipple	0	0.00	3	0.66	3	0.65
C501	Central portion of breast	0	0.00	22	4.80	22	4.77
C502	Upper-inner quadrant of breast	0	0.00	36	7.86	36	7.81
C503	Lower-inner quadrant of breast	0	0.00	19	4.15	19	4.12
C504	Upper-outer quadrant of breast	0	0.00	129	28.17	129	27.98
C505	Lower-outer quadrant of breast	0	0.00	33	7.21	33	7.16
C506	Axillary tail of breast	0	0.00	0	0.00	0	0.00
C508	Overlapping lesion of breast	1	33.33	96	20.96	97	21.04
C509	Breast, NOS	2	66.67	120	26.20	122	26.46
รวม		3	100.00	458	100.00	461	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามวิธีวินิจฉัย (Type of Diagnosis for Breast Cancer)

วิธีวินิจฉัย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ซักประวัติและตรวจร่างกาย	0	0.00	4	0.87	4	0.87
รังสีวินิจฉัย ส่องกล้อง Ultrasound	0	0.00	6	1.31	6	1.30
ตรวจทางเซลล์หรือการตรวจเลือด	0	0.00	1	0.22	1	0.22
ตรวจชิ้นเนื้ออกที่แพร่กระจาย	1	33.33	24	5.24	25	5.42
ตรวจเนื้ออกปฐมภูมิ	2	66.67	423	92.36	425	92.19
รวม	3	100.00	458	100.00	461	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม
แยกตามการแพร่กระจาย
(Type of Extension for Breast Cancer)

การแพร่กระจาย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
In situ	0	0.00	25	5.46	25	5.42
Localized	1	33.33	141	30.79	142	30.80
Direct extension	0	0.00	10	2.18	10	2.17
Regional lymph nodes	1	33.33	145	31.66	146	31.67
Distant metastasis	1	33.33	91	19.87	92	19.96
Not applicable	0	0.00	2	0.44	2	0.43
Not known	0	0.00	44	9.61	44	9.54
รวม	3	100.00	458	100.00	461	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามช่วงอายุ (ปี) (Number by Age-group and Sex for Breast Cancer)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
20-24	0	0.00	1	0.22	1	0.22
25-29	0	0.00	1	0.22	1	0.22
30-34	0	0.00	10	2.18	10	2.17
35-39	0	0.00	21	4.59	21	4.56
40-44	0	0.00	41	8.95	41	8.89
45-49	0	0.00	60	13.10	60	13.02
50-54	0	0.00	68	14.85	68	14.75
55-59	1	33.33	61	13.32	62	13.45
60-64	0	0.00	70	15.28	70	15.18
65-69	0	0.00	64	13.97	64	13.88
70-74	1	33.33	33	7.21	34	7.38
75-79	1	33.33	16	3.49	17	3.69
80-84	0	0.00	10	2.18	10	2.17
85-89	0	0.00	2	0.44	2	0.43
90+	0	0.00	0	0.00	0	0.00
รวม	3	100.00	458	100.00	461	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม
แยกตามระยะของโรค
(Type of Stage of Cancer site for Breast Cancer)

ระยะของโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Stage 0	0	0.00	25	5.46	25	5.42
Stage I	1	3.33	59	12.88	60	13.02
Stage II	0	0.00	152	33.19	152	32.72
Stage III	1	3.33	89	19.43	90	19.52
Stage IV	1	3.33	92	20.09	93	20.17
Unknown	0	0.00	41	8.95	41	8.89
รวม	3	100	458	100.00	461	100.00



ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามวิธีการรักษา (Method of Treatment for Breast Cancer)


วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	0	0%	12	3%	12	2.6%
Chemotherapy	0	0%	19	4%	19	4.1%
Hormone	0	0%	15	3%	15	3.3%
Targeted therapy	0	0%	7	2%	7	1.5%
Radiation	0	0%	23	5%	23	5.0%
Supportive/Others	0	0%	7	2%	7	1.5%
Loss follow up/Refer	0	0%	17	4%	17	3.7%
Surgery+Chemotherapy	0	0%	13	3%	13	2.8%
Surgery+Hormone	1	33%	31	7%	32	6.9%
Surgery+Radiation	0	0%	1	0%	1	0.2%
Surgery+Other	0	0%	1	0%	1	0.2%
Surgery+Chemotherapy+Hormone	0	0%	28	6%	28	6.1%
Surgery+Chemotherapy+Targeted therapy	0	0%	3	1%	3	0.7%
Surgery+Chemotherapy+Radiation	0	0%	11	2%	11	2.4%
Surgery+Chemotherapy+Other	0	0%	1	0%	1	0.2%
Surgery+Chemotherapy+Hormone+Targeted therapy	0	0%	3	1%	3	0.7%
Surgery+Chemotherapy+Hormone+Radiation	1	33%	48	10%	49	10.6%
Surgery+Chemotherapy+Hormone+Targeted therapy/Immunotherapy+Radiation	0	0%	18	4%	18	3.9%
Surgery+Chemotherapy+Hormone+Radiation+Other	0	0%	1	0%	1	0.2%
Surgery+Chemotherapy+Radiation+Targeted therapy	0	0%	18	4%	18	3.9%
Surgery+Chemotherapy+Radiation+Other	0	0%	1	0%	1	0.2%
Surgery+Hormone+Radiation	0	0%	15	3%	15	3.3%
Surgery+Radiation+Other	0	0%	1	0%	1	0.2%
Chemotherapy+Hormone	0	0%	22	5%	22	4.8%
Chemotherapy+Targeted therapy/Immunotherapy	0	0%	21	5%	21	4.6%
Chemotherapy+Radiation	1	33%	15	3%	16	3.5%
Chemotherapy+Other	0	0%	1	0%	1	0.2%
Chemotherapy+Hormone+Radiation	0	0%	22	5%	22	4.8%
Chemotherapy+Hormone+Targeted therapy/Immunotherapy	0	0%	11	2%	11	2.4%
Chemotherapy+Hormone+Other	0	0%	2	0%	2	0.4%
Chemotherapy+Targeted therapy/Immunotherapy+Radiation	0	0%	13	3%	13	2.8%
Chemotherapy+Targeted therapy+Other	0	0%	6	1%	6	1.3%
Chemotherapy+Hormone+Radiation+Targeted therapy/Immunotherapy	0	0%	16	3%	16	3.5%
Chemotherapy+Hormone+Radiation+Other	0	0%	1	0%	1	0.2%

ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามวิธีการรักษา (ต่อ) (Method of Treatment for Breast Cancer)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Chemotherapy+Targeted therapy+Radiation+Other	0	0%	2	0%	2	0.4%
Hormone+Radiation	0	0%	13	3%	13	2.8%
Hormone+Targeted therapy	0	0%	10	2%	10	2.2%
Hormone+Other	0	0%	1	0%	1	0.2%
Hormone+Radiation+Targeted therapy	0	0%	3	1%	3	0.7%
Hormone+Radiation+Other	0	0%	1	0%	1	0.2%
Hormone+Targeted therapy+Other	0	0%	2	0%	2	0.4%
Hormone+Radiation+Targeted therapy+Other	0	0%	1	0%	1	0.2%
Radiation+Other	0	0%	1	0%	1	0.2%
รวม	3	100%	458	100%	461	100%


Others: Surveillance, Follow up

กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งเต้านม แยกตามวิธีการรักษา (Method of Treatment for Breast Cancer)






Colorectal Cancer




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก (Type of Location for Colorectal Cancer)

ICD-0	วิธีการรักษา	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
C18	Colon	107	52.97	96	63.16	203	57.34
C19	Rectosigmoid colon	11	5.54	6	3.95	17	4.80
C20	Rectum	84	41.58	50	32.89	134	37.85
รวม		202	100.00	152	100.00	354	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามวิธีวินิจฉัย (Type of Diagnosis for Colorectal Cancer)


วิธีวินิจฉัย	Colon	Rectosigmoid colon	Rectum	Total
ซักประวัติและตรวจร่างกาย	1	0	2	3
รังสีวินิจฉัย ส่องกล้อง Ultrasound	12	1	4	17
ตรวจทางเซลล์หรือการตรวจเลือด	1	0	0	1
ตรวจชิ้นเนื้อออกที่แพร่กระจาย	9	1	2	12
ตรวจเนื้องอกปฐมภูมิ	180	15	126	321
รวม	203	17	134	354



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามการแพร่กระจาย (Type of Extension for Colorectal Cancer)


การแพร่กระจาย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
In situ	0	0.00	0	0.00	0	0.00
Localized	12	5.94	14	9.21	26	7.34
Direct extension	25	12.38	23	15.13	48	13.56
Regional lymph nodes	46	22.77	36	23.68	82	23.16
Distant metastasis	76	37.62	68	44.74	144	40.68
Not know	42	20.79	11	7.24	53	14.97
Not applicable	1	0.50	0	0.00	1	0.28
รวม	202	100.00	152	100.00	354	100.00

ชาย (คน) หญิง (คน)




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามช่วงอายุ (ปี) (Number by Age-group and Sex for Colorectal Cancer)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
20-24	1	0.50	1	0.66	2	0.56
25-29	0	0.00	1	0.66	1	0.28
30-34	2	0.99	1	0.66	3	0.85
35-39	2	0.99	1	0.66	3	0.85
40-44	7	3.47	9	5.92	16	4.52
45-49	13	6.44	9	5.92	22	6.21
50-54	19	9.41	7	4.61	26	7.34
55-59	19	9.41	19	12.50	38	10.73
60-64	34	16.83	29	19.08	63	17.80
65-69	39	19.31	29	19.08	68	19.21
70-74	34	16.83	13	8.55	47	13.28
75-79	17	8.42	19	12.50	36	10.17
80-84	6	2.97	3	1.97	9	2.54
85-89	7	3.47	8	5.26	15	4.24
90+	2	0.99	3	1.97	5	1.41
รวม	202	100.00	152	100.00	354	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามระยะของโรค (Type of Stage of Cancer site for Colorectal Cancer)

ระยะของโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Stage 0	0	0.00	0	0.00	0	0.00
Stage I	8	3.96	9	5.92	17	4.80
Stage II	29	14.36	27	17.76	56	15.82
Stage III	47	23.27	36	23.68	83	23.45
Stage IV	76	37.62	69	45.39	145	40.96
Unknown	42	20.79	11	7.24	53	14.97
รวม	202	100.00	152	100.00	354	100.00




**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก
แยกตามวิธีการรักษา
(Method of Treatment for Colorectal Cancer)**

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	27	13%	21	14%	48	13.6%
Chemotherapy	38	19%	34	22%	72	20.3%
Radiation	3	1%	7	5%	10	2.8%
Supportive	7	3%	9	6%	16	4.5%
Intervention	1	0%	0	0%	1	0.3%
Others	9	4%	4	3%	13	3.7%
Loss follow up/Refer	9	4%	13	9%	22	6.2%
Surgery+Chemotherapy	45	22%	26	17%	71	20.1%
Surgery+Radiation	1	0%	1	1%	2	0.6%
Surgery+Others	6	3%	3	2%	9	2.5%
Surgery+Chemotherapy+Targeted therapy/Immunotherapy	2	1%	12	8%	14	4.0%
Surgery+Chemotherapy+Radiation	20	10%	10	7%	30	8.5%
Surgery+Chemotherapy+Others	2	1%	0	0%	2	0.6%
Surgery+Chemotherapy+Targeted therapy+Radiation	1	0%	0	0%	1	0.3%
Chemotherapy+Radiation	4	2%	4	3%	8	2.3%
Chemotherapy+Intervention/Others	5	2%	1	1%	6	1.7%
Chemotherapy+Targeted therapy/Immunotherapy	17	8%	6	4%	23	6.5%
Chemotherapy+Targeted therapy+Others	3	1%	0	0%	3	0.8%
Chemotherapy+Targeted therapy+Intervention	1	0%	0	0%	1	0.3%
Chemotherapy+Intervention+Radiation	1	0%	1	1%	2	0.6%
รวม	202	100%	152	100%	354	100%

Others: Surveillance, Follow up

กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่และทวารหนัก แยกตามวิธีการรักษา (Method of Treatment for Colorectal Cancer)




**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่
แยกตามวิธีการรักษา
(Method of Treatment for Colon Cancer)**

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	17	15.89	13	13.54	30	14.78
Chemotherapy	20	18.69	23	23.96	43	21.18
Radiation	1	0.93	3	3.13	4	1.97
Supportive	4	3.74	7	7.29	11	5.42
Others	4	3.74	4	4.17	8	3.94
Loss follow up/Refer	2	1.87	5	5.21	7	3.45
Surgery+Chemotherapy	35	32.71	23	23.96	58	28.57
Surgery+Other	5	4.67	2	2.08	7	3.45
Surgery+Chemotherapy+Targeted therapy/ Immunotherapy	2	1.87	12	12.50	14	6.90
Surgery+Chemotherapy+Other	1	0.93	0	0.00	1	0.49
Surgery+Chemotherapy+Intervention	0	0.00	0	0.00	0	0.00
Chemotherapy+Targeted therapy/Immunotherapy	9	8.41	3	3.13	12	5.91
Chemotherapy+Others	2	1.87	1	1.04	3	1.48
Chemotherapy+Intervention	2	1.87	0	0.00	2	0.99
Chemotherapy+Targeted therapy+Intervention	1	0.93	0	0.00	1	0.49
Chemotherapy+Targeted therapy+Other	2	1.87	0	0.00	2	0.99
รวม	107	100.00	96	100.00	203	100.00


Others: Surveillance, Follow up

กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ใหญ่ แยกตามวิธีการรักษา (Method of Treatment for Colon Cancer)



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้ ส่วน Rectum แยกตามวิธีการรักษา (Method of Treatment for Rectum Cancer)


วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	9	10.71	8	16.00	17	12.69
Chemotherapy	17	20.24	9	18.00	26	19.40
Radiation	2	2.38	4	8.00	6	4.48
Intervention	1	1.19	0	0.00	1	0.75
Supportive	2	2.38	2	4.00	4	2.99
Others	5	5.95	0	0.00	5	3.73
Loss follow up/Refer	6	7.14	6	12.00	12	8.96
Surgery+Chemotherapy	7	8.33	2	4.00	9	6.72
Surgery+Radiation	1	1.19	1	2.00	2	1.49
Surgery+Other	1	1.19	1	2.00	2	1.49
Surgery+Chemotherapy+Radiation	20	23.81	10	20.00	30	22.39
Surgery+Chemotherapy+Radiation+Targeted therapy	1	1.19	0	0.00	1	0.75
Chemotherapy+Targeted therapy/Immunotherapy	6	7.14	2	4.00	8	5.97
Chemotherapy+Radiation	4	4.76	4	8.00	8	5.97
Chemotherapy+Others	1	1.19	0	0.00	1	0.75
Chemotherapy+Radiation+Intervention	1	1.19	1	2.00	2	1.49
รวม	84	100.00	50	100.00	134	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งลำไส้
 ส่วน Rectosigmoid แยกตามวิธีการรักษาโรคมะเร็ง
 (Method of Treatment for Rectosigmoid Junction Colon Cancer)


วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	1	9.09	0	0.00	1	5.88
Chemotherapy	1	9.09	2	33.33	3	17.65
Others	1	9.09	0	0.00	1	5.88
Refer/loss follow up	1	9.09	2	33.33	3	17.65
Surgery+Chemotherapy	3	27.27	1	16.67	4	23.53
Surgery+Chemotherapy+Others	1	9.09	0	0.00	1	5.88
Chemotherapy+Targeted therapy	2	18.18	1	16.67	3	17.65
Chemotherapy+Targeted therapy+Other	1	9.09	0	0.00	1	5.88
รวม	11	100.00	6	100.00	17	100.00

Others: Surveillance, Follow up






Lung Cancer




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามชนิดของเซลล์ (Number by Common for Lung Cancer)

ตำแหน่งโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Non small cell Lung Cancer	135	91.22	130	100.00	265	95.32
Small Cell Lung Cancer	9	6.08	0	0.00	9	3.24
Other Lung Cancer	4	2.70	0	0.00	4	1.44
รวม	148	100.00	130	100.00	278	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิด Non Small Cell แยกตามวิธีวินิจฉัย (Type of Diagnosis for Non small cell Cancer)

วิธีการวินิจฉัย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ซักประวัติและตรวจร่างกาย	2	1.48	1	0.77	3	1.13
รังสีวินิจฉัย ส่องกล้อง Ultrasound	7	5.19	3	2.31	10	3.77
ตรวจทางเซลล์หรือการตรวจเลือด	13	9.63	11	8.46	24	9.06
ตรวจชิ้นเนื้ออกที่แพร่กระจาย	21	15.56	21	16.15	42	15.85
ตรวจเนื้ออกปฐุมภูมิ	92	68.15	94	72.31	186	70.19
รวม	135	100.00	130	100.00	265	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิด Small Cell Lung แยกตามวิธีวินิจฉัย (Type of Diagnosis for Small cell Lung Cancer)

วิธีการวินิจฉัย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ตรวจทางเซลล์หรือการตรวจเลือด	0	0.00	0	0.00	0	0.00
ตรวจชิ้นเนื้ออกที่แพร่กระจาย	0	0.00	0	0.00	0	0.00
ตรวจเนื้ออกปฐมภูมิ	9	100.00	0	0.00	9	100.00
รวม	9	100.00	0	100.00	9	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด
ชนิด Other Lung Cancer แยกตามวิธีวินิจฉัย
(Type of Diagnosis for Other Lung Cancer)

วิธีการวินิจฉัย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ตรวจเนื้ออกปฐุมภูมิ	4	100.00	0	0.00	4	100.00
รวม	4	100.00	0	100.00	4	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามการแพร่กระจาย (Type of Extension for Lung Cancer)

การแพร่กระจาย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
In situ	0	0.00	1	0.77	1	0.36
Localized	10	6.76	12	9.23	22	7.91
Direct extension	11	7.43	9	6.92	20	7.19
Regional lymph nodes	22	14.86	12	9.23	34	12.23
Distant metastasis	79	53.38	81	62.31	160	57.55
Not Known	25	16.89	15	11.54	40	14.39
Not applicable	1	0.68	0	0.00	1	0.36
รวม	148	100.00	130	100.00	278	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด
แยกตามช่วงอายุ (ปี)
(Number by Age-group and Sex for Lung Cancer)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
25-29	1	0.68	0	0.00	1	0.36
30-34	1	0.68	1	0.77	2	0.72
35-39	2	1.35	1	0.77	3	1.08
40-44	3	2.03	3	2.31	6	2.16
45-49	6	4.05	8	6.15	14	5.04
50-54	8	5.41	8	6.15	16	5.76
55-59	17	11.49	14	10.77	31	11.15
60-64	23	15.54	22	16.92	45	16.19
65-69	31	20.95	30	23.08	61	21.94
70-74	30	20.27	12	9.23	42	15.11
75-79	9	6.08	18	13.85	27	9.71
80-84	10	6.76	8	6.15	18	6.47
85-89	5	3.38	4	3.08	9	3.24
90+	2	1.35	1	0.77	3	1.08
รวม	148	100.00	130	100.00	278	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามระยะของโรค (Type of Stage for Lung Cancer)

ระยะของโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Stage 0	0	0.00	1	0.77	1	0.36
Stage I	9	6.08	16	12.31	25	8.99
Stage II	10	6.76	8	6.15	18	6.47
Stage III	24	16.22	10	7.69	34	12.23
Stage IV	82	55.41	81	62.31	163	58.63
Unknown	23	15.54	14	10.77	37	13.31
รวม	148	100.00	130	100.00	278	100.00




**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งปอด
แยกตามวิธีการรักษา
(Method of Treatment for Lung Cancer)**

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	5	3.4%	12	9.2%	17	6.1%
Chemotherapy	27	18.2%	18	13.8%	45	16.2%
Targeted therapy	10	6.8%	16	12.3%	26	9.4%
Radiation	12	8.1%	6	4.6%	18	6.5%
Others	5	3.4%	4	3.1%	9	3.2%
Supportive	10	6.8%	6	4.6%	16	5.8%
Loss follow up/Refer	6	4.1%	5	3.8%	11	4.0%
Surgery+Chemotherapy	13	8.8%	5	3.8%	18	6.5%
Surgery+Targeted therapy	2	1.4%	2	1.5%	4	1.4%
Surgery+Others	0	0.0%	2	1.5%	2	0.7%
Surgery+Chemotherapy+Radiation	2	1.4%	3	2.3%	5	1.8%
Surgery+Chemotherapy+Targeted therapy	0	0.0%	1	0.8%	1	0.4%
Surgery+Targeted therapy+Radiation	0	0.0%	2	1.5%	2	0.7%
Surgery+Chemotherapy+Radiation+Targeted therapy	0	0.0%	1	0.8%	1	0.4%
Chemotherapy+Targeted therapy/Immunotherapy	20	13.5%	10	7.7%	30	10.8%
Chemotherapy+Radiation	20	13.5%	14	10.8%	34	12.2%
Chemotherapy+Others	1	0.7%	0	0.0%	1	0.4%
Chemotherapy+Targeted therapy/ Immunotherapy+Radiation	6	4.1%	11	8.5%	17	6.1%
Chemotherapy+Radiation+Intervention	1	0.7%	0	0.0%	1	0.4%
Chemotherapy+Radiation+Others	1	0.7%	0	0.0%	1	0.4%
Targeted therapy+Radiation	6	4.1%	10	7.7%	16	5.8%
Targeted therapy+Radiation+Others	0	0.0%	1	0.8%	1	0.4%
Radiation+Others	1	0.7%	1	0.8%	2	0.7%
รวม	148	100%	130	100%	278	100%

Others: Follow up clinical/imaging, Observe


กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด แยกตามวิธีการรักษา (Method of Treatment for Lung Cancer)



**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งปอด
ชนิด Non small cell แยกตามวิธีการรักษา
(Method of Treatment for Non small cell Lung Cancer)**

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	5	3.7%	12	9.2%	17	6.4%
Chemotherapy	25	18.5%	18	13.8%	43	16.2%
Targeted therapy	10	7.4%	16	12.3%	26	9.8%
Radiation	11	8.1%	6	4.6%	17	6.4%
Others	3	2.2%	4	3.1%	7	2.6%
Supportive	10	7.4%	6	4.6%	16	6.0%
Loss follow up/Refer	6	4.4%	5	3.8%	11	4.2%
Surgery+Chemotherapy	13	9.6%	5	3.8%	18	6.8%
Surgery+Targeted therapy	2	1.5%	2	1.5%	4	1.5%
Surgery+Others	0	0.0%	2	1.5%	2	0.8%
Surgery+Chemotherapy+Radiation	2	1.5%	3	2.3%	5	1.9%
Surgery+Chemotherapy+Targeted therapy	0	0.0%	1	0.8%	1	0.4%
Surgery+Targeted therapy+Radiation	0	0.0%	2	1.5%	2	0.8%
Surgery+Chemotherapy+Radiation+Targeted therapy	0	0.0%	1	0.8%	1	0.4%
Chemotherapy+Targeted therapy/Immunotherapy	18	13.3%	10	7.7%	28	10.6%
Chemotherapy+Radiation	15	11.1%	14	10.8%	29	10.9%
Chemotherapy+Others	1	0.7%	0	0.0%	1	0.4%
Chemotherapy+Targeted therapy/Immunotherapy+Radiation	2	1.5%	9	6.9%	11	4.2%
Chemotherapy+Immunotherapy+Radiation	3	2.2%	2	1.5%	5	1.9%
Chemotherapy+Radiation+Intervention	1	0.7%	0	0.0%	1	0.4%
Chemotherapy+Radiation+Others	1	0.7%	0	0.0%	1	0.4%
Targeted therapy+Radiation	6	4.4%	10	7.7%	16	6.0%
Targeted therapy+Radiation+Others	0	0.0%	1	0.8%	1	0.4%
Radiation+Others	1	0.7%	1	0.8%	2	0.8%
รวม	135	100%	130	100%	265	100%


กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอด
 ชนิด Non small cell แยกตามวิธีการรักษา
 (Method of Treatment for Non small cell Lung Cancer)



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็ง ปอดชนิด Small cell แยกตามวิธีการรักษา (Method of Treatment for Small cell Lung Cancer)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Chemotherapy	2	22%	0	0%	2	22%
Radiation	1	11%	0	0%	1	11%
Others	1	11%	0	0%	1	11%
Chemotherapy+Radiation	4	44%	0	0%	4	44%
Chemotherapy+Immunotherapy+Radiation	1	11%	0	0%	1	11%
รวม	9	100%	0	0%	9	100%


Others: Follow up clinical/imaging, Observe



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งปอดชนิดอื่นๆ แยกตามวิธีการรักษา (Method of Treatment for Otherl cell Lung Cancer)


วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Others	1	0.25	0	0%	1	25%
Chemotherapy+Radiation	1	0.25	0	0%	1	25%
Chemotherapy+Targeted therapy	2	0.50	0	0%	2	50%
รวม	4	100%	0%	0%	4	100%

Others: Follow up clinical/imaging, Observe






Liver and Bile duct Cancer




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี (Type of Location for Liver and Bile duct Cancer)

รหัส	ตำแหน่งโรค	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
220	Liver	145	76.32	45	54.22	190	69.60
221	Intrahepatic bile duct	40	21.05	36	43.37	76	27.84
240	Extrahepatic bile duct	2	1.05	1	1.20	3	1.10
241	Ampulla of Vater	3	1.58	1	1.20	4	1.47
รวม		190	100.00	83	100.00	273	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี
แยกตามวิธีวินิจฉัย
(Type of Diagnosis for Liver and Bile duct Cancer)

วิธีวินิจฉัย	ตำแหน่งโรค			
	Liver	Intrahepatic bile duct	Other and unspecified parts of biliary tract	Total
ซักประวัติและตรวจร่างกาย	1	0	0	1
รังสีวินิจฉัย ส่องกล้อง Ultrasound	158	21	0	179
ตรวจทางเซลล์หรือการตรวจเลือด	0	2	1	3
ตรวจชิ้นเนื้อออกที่แพร่กระจาย	6	18	1	25
ตรวจเนื้องอกปฐมภูมิ	25	35	5	65
รวม	190	76	7	273




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามการแพร่กระจาย (Type of Extension for Liver and Bile duct Cancer)

การแพร่กระจาย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Localized	5	2.63	6	7.23	11	4.03
Direct extension	4	2.11	0	0.00	4	1.47
Distant metastasis	57	30.00	34	40.96	91	33.33
Not applicable	0	0.00	3	3.61	3	1.10
Not known	124	65.26	40	48.19	164	60.07
รวม	190	100.00	83	100.00	273	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามช่วงอายุ (ปี) (Number by Age-group and Sex for Liver and Bile duct Cancer)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
35-39	4	2.11	0	0.00	3	1.47
40-44	5	2.63	2	2.41	7	2.56
45-49	8	4.21	2	2.41	10	3.66
50-54	16	8.42	5	6.02	21	7.69
55-59	31	16.32	13	15.66	44	16.12
60-64	38	20.00	16	19.28	54	19.78
65-69	41	21.58	12	14.46	53	19.41
70-74	20	10.53	16	19.28	36	13.19
75-79	13	6.84	8	9.64	21	7.69
80-84	9	4.74	5	6.02	14	5.13
85-89	4	2.11	4	4.82	8	2.93
90+	1	0.53	0	0.00	1	0.37
รวม	190	100.00	83	100.00	273	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามระยะของโรค (Type of Stage of Cancer site for Liver and Bile duct Cancer)

ระยะของโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Stage 0	0	0.00	0	0.00	0	0.00
Stage I	2	1.05	3	3.61	5	1.83
Stage II	10	5.26	4	4.82	14	5.13
Stage III	5	2.63	0	0.00	5	1.83
Stage IV	56	29.47	35	42.17	91	33.33
Unknown	117	61.58	41	49.40	158	57.88
รวม	190	100.00	83	100.00	273	100.00




ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี
แยกตามวิธีการรักษา
(Method of Treatment for Liver and Bile duct Cancer)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	10	5.26	5	6.02	15	5.49
Chemotherapy	10	5.26	11	13.25	21	7.69
Targeted therapy	9	4.74	1	1.20	10	3.66
Others	11	5.79	4	4.82	15	5.49
Intervention	33	17.37	22	26.51	55	20.15
Supportive	22	11.58	4	4.82	26	9.52
Loss follow up/Refer	59	31.05	22	26.51	81	29.67
Surgery+Chemotherapy	8	4.21	4	4.82	12	4.40
Surgery+Intervention	7	3.68	1	1.20	8	2.93
Surgery+Targeted therapy	1	0.53	0	0.00	1	0.37
Surgery+Others	0	0.00	2	2.41	2	0.73
Surgery+Intervention+Others	1	0.53	0	0.00	1	0.37
Chemotherapy+Radiation	1	0.53	2	2.41	3	1.10
Chemotherapy+Targeted therapy	2	1.05	1	1.20	3	1.10
Chemotherapy+Intervention	6	3.16	3	3.61	9	3.30
Chemotherapy+Radiation+Intervention	1	0.53	0	0.00	1	0.37
Chemotherapy+Targeted therapy+Intervention	2	1.05	0	0.00	2	0.73
Targeted therapy/Immunotherapy+Intervention	4	2.11	0	0.00	4	1.47
Targeted therapy+Others	2	1.05	0	0.00	2	0.73
Immunotherapy+Intervention	0	0.00	1	1.20	1	0.37
Intervention+Others	1	0.53	0	0.00	1	0.37
รวม	190	100.00	83	100.00	273	100.00

Others: Surveillance, Follow up clinical/imaging

กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับและท่อน้ำดี แยกตามวิธีการรักษา (Method of Treatment for Liver and Bile duct Cancer)




ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งตับ แยกตามวิธีการรักษา (Method of Treatment for Hepatocellular Carcinoma)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	7	5.34	2.0	3.77	9	4.89
Chemotherapy	2	1.53	0	0.00	2	1.09
Targeted therapy	9	6.87	3	5.66	12	6.52
Surgery	9	6.21	4	8.89	13	6.84
Chemotherapy	2	1.38	1	2.22	3	1.58
Targeted therapy	9	6.21	1	2.22	10	5.26
Others	7	4.83	3	6.67	10	5.26
Intervention	28	19.31	16	35.56	44	23.16
Supportive	18	12.41	3	6.67	21	11.05
Loss follow up/Refer	48	33.10	12	26.67	60	31.58
Surgery+Chemotherapy	2	1.38	1	2.22	3	1.58
Surgery+Targeted therapy	1	0.69	0	0.00	1	0.53
Surgery+Intervention	6	4.14	1	2.22	7	3.68
Surgery+Others	0	0.00	2	4.44	2	1.05
Surgery+Intervention+Others	1	0.69	0	0.00	1	0.53
Chemotherapy+Radiation	1	0.69	0	0.00	1	0.53
Chemotherapy+Targeted therapy	2	1.38	1	2.22	3	1.58
Chemotherapy+Intervention	1	0.69	0	0.00	1	0.53
Chemotherapy+Intervention+Targeted therapy	2	1.38	0	0.00	2	1.05
Chemotherapy+Intervention+Radiation	1	0.69	0	0.00	1	0.53
Targeted therapy/Immunotherapy+Intervention	4	2.76	0	0.00	4	2.11
Targeted therapy+Others	2	1.38	0	0.00	2	1.05
Intervention+Others	1	0.69	0	0.00	1	0.53
รวม	145	100.00	45	100.00	190	100.00

Others: Surveillance, Follow up clinical/imaging

กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งตับ แยกตามวิธีการรักษา (Method of Treatment for Hepatocellular Carcinoma)




ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งท่อน้ำดี แยกตามวิธีการรักษา (Method of Treatment for Intrahepatic bile duct)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Surgery	7	5.34	2.0	3.77	9	4.89
Chemotherapy	2	1.53	0	0.00	2	1.09
Targeted therapy	9	6.87	3	5.66	12	6.52
Surgery	9	6.21	4	8.89	13	6.84
Chemotherapy	2	1.38	1	2.22	3	1.58
Surgery	1	2.50	1	2.78	2	2.63
Chemotherapy	7	17.50	10	27.78	17	22.37
Others	2	5.00	1	2.78	3	3.95
Intervention	5	12.50	5	13.89	10	13.16
Supportive	4	10.00	1	2.78	5	6.58
Loss follow up/Refer	11	27.50	10	27.78	21	27.63
Surgery+Chemotherapy	4	10.00	2	5.56	6	7.89
Surgery+Intervention	1	2.50	0	0.00	1	1.32
Chemotherapy+Radiation	0	0.00	2	5.56	2	2.63
Chemotherapy+Intervention	5	12.50	3	8.33	8	10.53
Immunotherapy+Intervention	0	0.00	1	2.78	1	1.32
รวม	40	100.00	36	100.00	76	100.00

Others: Surveillance, Follow up clinical/imaging


กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งท่อน้ำดี แยกตามวิธีการรักษา (Method of Treatment for Intrahepatic bile duct)



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งท่อน้ำดีนอกตับ
แยกตามวิธีการรักษา
(Method of Treatment for Extrahepatic bile duct)

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Chemotherapy	1	50.00	0	0.00	1	33.33
Intervention	0	0.00	1	100.00	1	33.33
Others	1	50.00	0	0.00	1	33.33
รวม	2	100.00	1	100.00	3	100.00

Others: Hyperthermia, Active surveillance, Wait and see, Follow up, Observe




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งส่วนอื่นๆ แยกตามวิธีการรักษา

(Method of Treatment for Other and Unspecified Parts of Biliary tract)


วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Others	1	33.33	0	0.00	1	25.00
Surgery+Chemotherapy	2	66.67	1	100.00	3	75.00
รวม	3	100.00	1	100.00	4	100.00

Others: Surveillance, Follow up clinical/imaging






Thyroid Cancer




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ (Type of Location for Thyroid gland Cancer)

รหัส	ตำแหน่งโรค	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
739	Thyroid gland	38	20.88	144	79.12	182	100.00
รวม		38	20.88	144	79.12	182	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามวิธีวินิจฉัย (Type of Diagnosis for Thyroid gland Cancer)

วิธีวินิจฉัย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
ซักประวัติและตรวจร่างกาย	1	2.63	1	0.69	2	1.10
รังสีวินิจฉัย ส่องกล้อง Ultrasound	0	0.00	4	2.78	4	2.20
ตรวจทางเซลล์หรือการตรวจเลือด	4	10.53	4	2.78	8	4.40
ตรวจชิ้นเนื้ออกที่แพร่กระจาย	0	0.00	5	3.47	5	2.75
ตรวจเนื้ออกปฐมภูมิ	33	86.84	130	90.28	163	89.56
รวม	38	100.00	144	100.00	182	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์
แยกตามการแพร่กระจาย
(Type of Extension for Thyroid gland Cancer)

การแพร่กระจาย	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Localized	14	36.84	52	36.11	66	36.26
Direct extension	2	5.26	10	6.94	12	6.59
Regional lymph nodes	11	28.95	37	25.69	48	26.37
Distant metastasis	4	10.53	16	11.11	20	10.99
Not known	6	15.79	28	19.44	34	18.68
Not applicable	1	2.63	1	0.69	2	1.10
รวม	38	100.00	144	100.00	182	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามช่วงอายุ (ปี) (Number by Age-group and Sex for Thyroid gland Cancer)

ช่วงอายุ (ปี)	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
10-14	0	0.00	1	0.69	1	0.55
15-19	0	0.00	2	1.39	2	1.10
20-24	1	2.63	5	3.47	6	3.30
25-29	2	5.26	10	6.94	12	6.59
30-34	6	15.79	16	11.11	22	12.09
35-39	3	7.89	17	11.81	20	10.99
40-44	5	13.16	11	7.64	16	8.79
45-49	3	7.89	20	13.89	23	12.64
50-54	3	7.89	13	9.03	16	8.79
55-59	2	5.26	14	9.72	16	8.79
60-64	7	18.42	15	10.42	22	12.09
65-69	0	0.00	7	4.86	7	3.85
70-74	2	5.26	5	3.47	7	3.85
75-79	3	7.89	3	2.08	6	3.30
80-84	1	2.63	3	2.08	4	2.20
85+	0	0.00	2	1.39	2	1.10
รวม	38	100.00	144	100.00	182	100.00



ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งไทรอยด์ แยกตามระยะของโรค (Type of Stage of Cancer site for Thyroid gland Cancer)

ระยะของโรค	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Stage I	23	60.53	84	58.33	107	58.79
Stage II	8	21.05	26	18.06	34	18.68
Stage III	0	0.00	4	2.78	4	2.20
Stage IV	2	5.62	8	5.56	10	5.49
Unknown	5	13.16	22	15.28	27	14.84
รวม	38	100.00	144	100.00	182	100.00




**ตารางแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมไทรอยด์
แยกตามวิธีการรักษา
(Method of Treatment for Thyroid gland Carcinoma)**

วิธีการรักษา	ชาย		หญิง		รวม	
	จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
Hormone	0	0.00	3	2.75	3	2.11
Radiation	4	12.12	14	12.84	18	12.68
Supportive	0	0.00	1	0.92	1	0.70
Others	0	0.00	4	3.67	4	2.82
Hormone	0	0.0	1	0.7	1	0.5
Radiation	3	7.9	3	2.1	6	3.3
Supportive/Other	2	5.3	2	1.4	4	2.2
Surgery	0	0.0	2	1.4	2	1.1
Targeted therapy	1	2.6	0	0.0	1	0.5
Surgery+Hormone	0	0.0	3	2.1	3	1.6
Surgery+Radiation	0	0.0	2	1.4	2	1.1
Surgery+Hormone+Radiation	4	10.5	14	9.7	18	9.9
Surgery+Radiation+Other	0	0.0	1	0.7	1	0.5
Hormone+Radiation	26	68.4	109	75.7	135	74.2
Hormone+Intervention	1	2.6	0	0.0	1	0.5
Chemotherapy+Targeted therapy	1	2.6	1	0.7	2	1.1
Radiation+Targeted therapy	0	0.0	1	0.7	1	0.5
Radiation+Other	0	0.0	1	0.7	1	0.5
Hormone+Radiation+Other	0	0.0	3	2.1	3	1.6
Hormone+Radiation+Targeted therapy+Other	0	0.0	1	0.7	1	0.5
รวม	38	100.00	144	100.00	182	100.00


Others: Follow up, Observe

กราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมไทรอยด์ แยกตามวิธีการรักษา (Method of Treatment for Thyroid gland Carcinoma)






Prostate Cancer




ตารางและกราฟแสดงจำนวนผู้ป่วยมะเร็งต่อมลูกหมาก (Type of Location for Prostate Cancer)

รหัส	ตำแหน่งโรค	ชาย		หญิง		รวม	
		จำนวน	ชาย(%)	จำนวน	หญิง(%)	จำนวนรวม	รวม(%)
619	Prostate	164	100.00	0	0.00	164	100.00
รวม		164	100.00	0	0.00	164	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยมะเร็งต่อมลูกหมาก แยกตามวิธีวินิจฉัย (Type of Diagnosis for Prostate gland Cancer)

วิธีวินิจฉัย	ชาย	
	จำนวน	ชาย(%)
ซักประวัติและตรวจร่างกาย	2	1.22
รังสีวินิจฉัย ส่องกล้อง	5	3.05
ตรวจทางเซลล์หรือการตรวจเลือด	1	0.61
ตรวจชิ้นเนื้ออกที่แพร่กระจาย	2	1.22
ตรวจเนื้ออกปฐมภูมิ	154	93.90
รวม	164	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก แยกตามการแพร่กระจาย (Type of Extension for Prostate gland Cancer)

การแพร่กระจาย	ชาย	
	จำนวน	ชาย(%)
Localized	28	17.07
Direct extension	41	25.00
Regional lymph nodes	3	1.83
Distant metastasis	60	36.59
Not known	33	19.51
รวม	164	100.00




ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก
แยกตามช่วงอายุ (ปี)
(Number by Age-group and Sex for Prostate gland Cancer)

ช่วงอายุ (ปี)	ชาย	
	จำนวน	ชาย(%)
45-49	2	1.22
50-54	5	3.05
55-59	8	4.88
60-64	27	16.46
65-69	28	17.07
70-74	32	19.51
75-79	31	18.90
80-84	19	11.59
85-89	9	5.49
90+	3	1.83
รวม	164	100.00



**ตารางและกราฟแสดงจำนวนผู้ป่วยโรคมะเร็งต่อมลูกหมาก
แยกตามระยะของโรค
(Type of Stage of Cancer site for Prostate gland Cancer)**

ช่วงอายุ (ปี)	ชาย	
	จำนวน	ชาย(%)
Stage I	1	0.61
Stage II	23	14.02
Stage III	44	26.83
Stage IV	63	38.41
ไม่ระบุ	33	20.12
รวม	164	100.00




**ตารางแสดงจำนวนโรคมะเร็งต่อมลูกหมาก
แยกตามวิธีการรักษา
(Method of Treatment for Prostate gland Cancer)**

วิธีการรักษา	ชาย	
	จำนวน	ชาย(%)
Surgery	18	10.98
Chemotherapy	3	1.83
Radiation	16	9.76
Hormone	30	18.29
Supportive	1	0.61
Other	12	7.32
Loss follow up/Refer	7	4.27
Surgery+Hormone	6	3.66
Surgery+Other	1	0.61
Surgery+Radiation	3	1.83
Surgery+Chemotherapy+Hormone	2	1.22
Surgery+Hormone+Radiation	3	1.83
Chemotherapy+Hormone	1	0.61
Chemotherapy+Radiation	11	6.71
Chemotherapy+Hormone+Radiation	5	3.05
Hormone+Radiation	41	25.00
Hormone+Targeted therapy	1	0.61
Hormone+Other	2	1.22
Hormone+Radiation+Other	1	0.61
รวม	164	100.00

Others: Active surveillance, Observe, Follow up

กราฟแสดงจำนวนโรคมะเร็งต่อมลูกหมาก แยกตามวิธีการรักษา (Method of Treatment for Prostate gland Cancer)



2023

CHULABHORN HOSPITAL

Based Cancer Registry



หุ่นยนต์ช่วยผ่าตัดปฏวัติการรักษามะเร็ง

ROBOTIC-ASSISTED CANCER SURGERY REVOLUTION

โรงพยาบาลจุฬาลงกรณ์

906 ถนนกำแพงเพชร 6 แขวงตลาดบางเขน

เขตหลักสี่ กรุงเทพมหานคร 10210

โทรศัพท์ 0 2576 6000